DEPARTMENT OF TRANSPORTATION

ESC/OE MS #43 1727 30TH Street, 2ND Floor Sacramento, CA 95816



September 1, 2000

04-SCI-101-50.2/53.9 04-250404 ACNH-P101(955)E

Addendum No. 3

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in SANTA CLARA COUNTY IN SAN JOSE AT CAPITOL EXPRESSWAY OVERCROSSING AND AT TULLY ROAD OVERCROSSING.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on September 12, 2000. The original bid opening date was previously postponed indefinitely under Addendum No. 2 dated August 21, 2000.

This addendum is being issued to set a new bid opening date as shown herein, and to revise the Notice to Contractors and Special Provisions and the Federal Minimum Wages with Modification Number 10 dated 8-25-00. A copy of these wages are available on the Internet Site at http://www.dot.ca.gov/hq/esc/oe/

In the Special Provisions, Section 5-1.16, "AERIALLY DEPOSITED LEAD," is replaced as attached.

In the Special Provisions, Section 10-1.12, "REMOVE EXISTING FACILITIES," subsection "REMOVE THERMOPLASTIC TRAFFIC STRIPE AND PAVEMENT MARKING," is changed to "REMOVE YELLOW TRAFFIC STRIPE AND PAVEMENT MARKING," and is replaced as attached.

In the Special Provisions, Section 10-1.13, "EARTHWORK," is revised as attached.

In the Special Provisions, Section 10-1.14, "MATERIAL CONTAINING AERIALLY DEPOSITED LEAD," is revised as attached.

To Proposal and Contract book holders:

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 3 Page 2 September 1, 2000

04-SCI-101-50.2/53.9 04-250404 ACNH-P101(955)E

This office is sending this addendum by UPS overnight mail to Proposal and Contract book holders to ensure that each receives it.

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

NICK YAMBAO, Chief Office of Plans, Specifications & Estimates Division of Office Engineer

Attachments

5-1.16 AERIALLY DEPOSITED LEAD

Aerially deposited lead is present within the project limits. Aerially deposited lead is lead deposited within unpaved areas, primarily due to vehicle emissions.

Portions of the Site Investigation Report are included in the "Material Information Handout." The complete report, entitled "Aerial Lead Site Investigation Report, Capitol Expressway and Tully Road Interchanges Rehabilitation Ramps project, State Route 101 – San Jose, Santa Clara County, California," is available for inspection at the Department of Transportation, Duty Senior's Desk, 111 Grand Avenue, Oakland, California, (510) 286-5209.

Attention is directed to "Material Containing Aerially Deposited Lead" and "Earthwork" of these special provisions.

Excavation, handling, and disposal of material with aerially deposited lead shall be in conformance with all rules and regulations including, but not limited to, those of the following agencies:

United States Department of Transportation (USDOT)

United States Environmental Protection Agency (USEPA)

California Environmental Protection Agency (Cal-EPA)

California Department of Health Services

Department of Toxic Substances Control (DTSC), Region 2

California Division of Occupational Safety and Health Administration (Cal-OSHA)

Integrated Waste Management Board

Regional Water Quality Control Board (RWQCB), Region 2

State Air Resources Control Board

Bay Area Air Quality Management District (BAAQMD)

Surplus hazardous Materials and non-hazardous materials with total lead between 350 mg/kg and 1000 mg/kg shall remain the property of the State and shall be transported and disposed of in conformance with Federal and State laws and regulations, as amended, and county and municipal ordinances and regulations, as amended. Laws and regulations that govern this work include, but are not limited to:

Health and Safety Code, Division 20, Chapter 6.5 (California Hazardous Waste Control Act)

Title 22, California Code of Regulations, Chapter 30 (Minimum Standard for Management of Hazardous and Extremely Hazardous Materials)

Title 8, California Code of Regulations

Surplus excavated material with non-hazardous levels of lead and total lead less than 350 mg/kg shall become the property of the Contractor and shall be disposed of outside the highway right of way in conformance with the provisions in Section 7-1.13, "Disposal of Material Outside the Highway Right of Way", of the Standard Specifications. The written authorization from the property owner shall include acknowledgement that the material contains lead, and shall state the levels of lead reported from testing.

The Contractor shall conduct any further investigation deemed necessary by the owner of the disposal site for acceptance of the material. This investigation shall be at Contractor's expense. The Contractor shall submit to the Engineer, his sampling and analysis procedure and the name of the laboratory 15 days prior to beginning any sampling. The Contractor shall use a laboratory certified by the California Department of Health Services. Characterization of the material shall be based on guidelines in USEPA, SW 846, "Test Methods for Evaluating Solid Waste, Volume II: Field Manual Physical/Chemical, Chapter Nine, Section 9.1".

The Contractor shall procure all permits and licenses, pay all charges and fees, and give all notices necessary and incidental to the due and lawful prosecution of the work, including registration for transporting vehicles carrying hazardous materials.

Full compensation for conforming to the requirements of this section involving materials containing aerially deposited lead, except as otherwise specifically provided in these special provisions, shall be considered as included in the contract prices paid for various contract items of work involved and no additional compensation will be allowed therefor.

REMOVE YELLOW TRAFFIC STRIPE AND PAVEMENT MARKING

Traffic stripes and pavement markings to be removed shall be removed at the locations shown on the plans and at the locations designated by the Engineer.

Yellow thermoplastic and yellow painted traffic stripes and pavement markings may contain lead and chromium. Residue produced when yellow thermoplastic and yellow paint are removed may contain heavy metals in concentrations that exceed hazardous waste thresholds established by the California Code of Regulations and may produce toxic fumes when heated.

The removed yellow thermoplastic and yellow paint material shall be disposed of at a Class 1 disposal facility in conformance with the requirements of the disposal facility operator within 90 days after accumulating 100 kg of residue and dust. The Contractor shall make all arrangements with the operator of the disposal facility and perform all testing of the yellow thermoplastic and yellow paint residue required by the operator. The Contractor shall submit the name and location of the facility along with testing requirements to the Engineer not less than 21 days prior to removal of yellow thermoplastic and yellow painted traffic stripes and pavement markings.

The Contractor shall submit the written compliance programs required in Subsection (e)(2), "Compliance Program," of Section 1532.1, "Lead," of the Construction Safety Orders to the Engineer not less than 21 days prior to start of removal operations. The compliance programs shall be prepared by an industrial hygienist certified by the American Board of Industrial Hygiene and shall cover all Contractor or subcontractor employees removing or handling the yellow thermoplastic and yellow paint residue. Inspection reports shall be made in conformance with Section 1532.1, "Lead," and shall be submitted to the Engineer.

Prior to performing any removal, personnel who have no prior lead training, including State personnel, shall complete a safety training class provided by the Contractor, which meets the requirements of Title 8, Section 1532.1. The number of State personnel to be trained shall be 3.

Where grinding or other methods approved by the Engineer are used to remove yellow thermoplastic and yellow painted traffic stripes and pavement markings, the residue, including dust, shall be contained and collected immediately. Sweeping will not be allowed. Collection shall be by High Efficiency Particle Arresting (HEPA) vacuum attachment operated concurrently, or other equally effective method, with removal operations. The Contractor shall submit a removal, storage, and disposal workplan in writing to the Engineer for approval not less than 21 days prior to start of removal operations.

The collected residue shall be stored in properly labeled and covered containers approved by the United States Department of Transportation for transportation and temporary storage. The containers shall be handled in such a manner that no spillage will occur. The containers shall be stored in a secured enclosure at a location within the project limits approved by the Engineer while awaiting test results required by the operators of the disposal facility.

Contractors attention is directed to the Storm Water specifications contained in these special provisions.

Removed yellow thermoplastic and yellow paint material will remain the property of the State.

The removed material shall be transported to the Class 1 disposal facility by a transporter currently registered with the California Department of Toxic Substances Control using current manifesting procedures. The Engineer will obtain the United States Environmental Protection Agency Identification Number and sign all manifests as the generator. The California Board of Equalization Number (State's Generator ID) for this project is HY HQ 36-020676.

The Contractor shall assume that the yellow thermoplastic and yellow paint residue is not regulated under the Federal Resource Conservation and Recovery Act (RCRA). Additional disposal costs for residue regulated under RCRA, as determined by test results, will be paid for as extra work as provided in Section 4-1.03D of the Standard Specifications.

Except as otherwise provided above for possible additional costs to be paid for as extra work, full compensation for submitting the required compliance programs, providing safety training for Contractor and State personnel, making arrangements with the Class 1 disposal facility operator, providing for the temporary storage of the residue within a secured area, testing the residue as required by the disposal facility operator, transportation of the residue to the Class 1 disposal facility, and disposal of the residue, all as specified herein, shall be considered as included in the contract prices paid per meter for remove yellow thermoplastic traffic stripe and pavement marking and remove yellow painted traffic stripe and pavement marking and no additional compensation will be allowed therefor.

Nothing in these special provisions shall relieve the Contractor from the Contractor's responsibilities as provided in Section 7-1.09, "Public Safety," of the Standard Specifications.

10-1.13 EARTHWORK

Earthwork shall conform to the provisions in Section 19, "Earthwork," of the Standard Specifications and these special provisions.

Attention is directed to "Aerially Deposited Lead" and "Material Containing Aerially Deposited Lead" elsewhere in these special provisions.

Existing materials in unpaved areas at various locations, to various depths, and horizontally from the existing edge of pavement to the highway right-of-way line shall be considered hazardous, according to following:

Locations on Tully Road Interchange hazardous to a depth of 0.45 meters:

```
Station 40+03 to station 44+34 TR3R Line
Station 41+27 to station 41+80 TL3 Line
Station 43+00 to station 44+60 CR2R Line
Station 45+00 to station 46+00 TL4 Line
Station 42+20 to station 43+50 TR2 Line
Station 41+80 to station 43+00 TL2 Line
Station 43+90 to station 46+85 CR1R Line
Station 44+73 to station 46+46 TL1 Line
Station 43+46 to station 43+80, station 44+60 to station 45+00 TR1 Line
Station 62+80 to station 64+00 HR2 Line
```

Locations on Tully Road Interchange hazardous to a depth of 0.15 meters:

```
Station 46+00 to station 46+41 TL4 Line
Station 43+24 to station 43+80 TR4 Line
Station 43+80 to station 44+60 TR1 Line
Station 48+40 to station 48+77 CR2R Line
Station 44+80 to station 45+60 TR4 Line
```

Locations on Capitol Expressway Interchange hazardous to a depth of 0.15 meters:

```
Station 65+40 to station 66+20 HC4R Line
Station 66+17 to station 67+20 HL4 Line
Station 65+40 to station 66+80 HC2R Line
Station 66+50 to station 67+67 HR4 Line
```

Surplus non-contaminated excavated material shall become the property of the Contractor and shall be disposed of outside the highway right of way in conformance with the provisions in Section 7-1.13, "Disposal of Material Outside the Highway Right of Way," of the Standard Specifications.

Where a portion of the existing surfacing is to be removed, the outline of the area to be removed shall be cut on a neat line with a power-driven saw to a minimum depth of 50 mm before removing the surfacing. Full compensation for cutting the existing surfacing shall be considered as included in the contract price paid per cubic meter for roadway excavation and no additional compensation will be allowed therefor.

Full compensation for conforming to the requirements of this section involving materials containing aerially deposited lead, except as otherwise specifically provided in these special provisions, shall be considered as included in the contract prices paid for the items of work involved and no additional compensation will be allowed therefor.

10-1.14 MATERIAL CONTAINING AERIALLY DEPOSITED LEAD

Earthwork involving materials containing aerially deposited lead shall conform to the provisions in Section 19, "Earthwork," of the Standard Specifications and these special provisions.

Attention is directed to "Aerially Deposited Lead" and "Earthwork" of these special provisions.

HEALTH AND SAFETY

The Contractor shall prepare a project specific Lead Compliance Plan to prevent or minimize worker exposure to lead contamination in soil. Attention is directed to Title 8, California Code of Regulations, Section 1532.1, "Lead," for specific Cal-OSHA requirements when working with lead.

The Lead Compliance Plan shall contain the elements listed in Title 8, California Code of Regulations, Section 1532.1(e)(2)(B). Before submission to the Engineer, the Lead Compliance Plan shall be approved by an Industrial Hygienist certified in Comprehensive Practice by the American Board of Industrial Hygiene and paid by the Contractor. The Plan shall be submitted to the Engineer at least 15 days prior to beginning work in areas containing aerially deposited lead for review and acceptance by the Engineer.

Prior to performing work in areas containing aerially deposited lead, personnel who have no prior training or are not current in their training status, including State personnel, shall complete a safety training program provided by the Contractor. The safety training program shall meet the requirements of Title 8, California Code of Regulations, Section 1532.1, "Lead."

Personal protective equipment, training, washing facilities, and medical surveillance required by the Contractor's Lead Compliance Plan shall be supplied to State personnel by the Contractor. The number of State personnel will be 3.

The Lead Compliance Plan shall include perimeter air monitoring incorporating upwind and downwind locations as shown on the plans and as approved by the Engineer. Monitoring shall be by high volume sampler for total suspended particulates. Analysis for lead shall be by California Air Resources Board SOP 005-5.1. Daily monitoring shall take place while the Contractor clears and grubs and performs earthwork operations. A single representative daily sample shall be analyzed for lead. Analytical data shall be submitted to the Engineer in writing within 5 working days of obtaining the sample. Average lead concentrations shall not exceed 1.5 microgram per cubic meter of air per day. If concentrations exceed this level the contractor shall stop work and modify work to prevent release of lead. The Contractor shall also conduct personnel air monitoring during excavation and soil handling operations. The results of the air monitoring shall be made available to the Engineer upon request.

The Contractor shall not clear and grub or perform earthwork operations within the project limits, unless authorized in writing by the Engineer, until the Lead Compliance Plan has been accepted by the Engineer.

The Lead Compliance Plan will be paid for as a lump sum.

The contract lump sum price paid for Lead Compliance Plan shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals and for doing all the work involved in preparing the Lead Compliance Plan, and for providing personal protective equipment, training and medical surveillance, as specified in the Standard Specifications and these special provisions, and as directed by the Engineer.

EXCAVATION AND TRANSPORTATION PLAN

Prior to starting excavation in areas determined to contain aerially deposited lead, the Contractor shall submit, for acceptance by the Engineer, a detailed excavation and transportation plan in conformance with the regulations of the Department of Toxic Substance Control and the California Division of Occupational Safety and Health Administration (Cal-OSHA). The detailed excavation and transportation plan shall be submitted to the Engineer 15 days prior to excavation and transportation of hazardous materials.

WORK PLAN

The Contractor shall prepare a work plan for handling and stockpiling materials containing hazardous levels of lead. The work plan shall include provisions for sampling any stockpile area after removal of the materials. The plan shall meet the requirements for the design and development of the sampling plan, statistical analysis, and reporting of test results contained in USEPA, SW 846, "Test Methods for Evaluating Solid Waste," Volume II: Field Manual Physical/Chemical, Chapter Nine, Section 9.1. The plan shall be submitted to the Engineer at least 15 days prior to beginning work in areas containing lead.

The Engineer will notify the Contractor of acceptance or rejection of any submitted or revised Lead Compliance Plan, work plan, and excavation and transportation plan not more than 10 days after submittal of the plan.

Excavation, transportation, placement, and handling of materials containing aerially deposited lead shall result in no visible dust. The Contractor shall have a water truck available at all times while performing clearing and grubbing and earthwork operations in work areas containing aerially deposited lead.

Prior to traveling on public roads, loose and extraneous material shall be removed from surfaces outside the cargo areas of the transporting vehicles and the cargo shall be covered with tarpaulins, or other cover approved by the Engineer. The Contractor shall be responsible for costs due to spillage of material containing lead during transport. The Department will not consider the Contractor a generator of these hazardous materials, and the Contractor will not be obligated for further cleanup, removal or remedial action for such materials handled or disposed of in conformance with the requirements specified herein and the appropriate State and Federal laws and regulations and county and municipal ordinances and regulations regarding hazardous waste.

USEPA manifesting of hazardous material is required. If disposal of materials containing aerially deposited lead is within California, the disposal site shall be operating under a permit issued by the California Environmental Protection Agency (Cal-EPA) Boards. If disposal is outside California, the disposal site will be approved by the Engineer and shall be operating under a permit issued by the United States Environmental Protection Agency (EPA).

The Engineer will obtain the EPA Generator Identification Number and the State of California Board of Equalization Identification Number for hazardous material disposal. The Engineer will sign all hazardous waste manifests.

Sampling, analyzing, transporting, and disposing of materials containing aerially deposited lead excavated outside the pay limits of excavation will be at the Contractor's expense.

Full compensation for conforming to the requirements of this section involving materials containing aerially deposited lead, except as otherwise specifically provided in these special provisions, shall be considered as included in the contract prices paid for the items of work involved and no additional compensation will be allowed therefor.

GENERAL DECISION CA000029 08/25/00 CA29 General Decision Number CA000029

Superseded General Decision No. CA990029

State: California

Construction Type:

BUILDING DREDGING HEAVY HIGHWAY

County(ies):

ALAMEDA MARIPOSA SAN MATEO
CALAVERAS MERCED SANTA CLARA
CONTRA COSTA MONTEREY SANTA CRUZ
FRESNO SAN BENITO STANISLAUS
KINGS SAN FRANCISCO TUOLUMNE

MADERA SAN JOAQUIN

BUILDING CONSTRUCTION PROJECTS; DREDGING PROJECTS (does not include hopper dredge work); HEAVY CONSTRUCTION PROJECTS (does not include water well drilling); HIGHWAY CONSTRUCTION PROJECTS

Modification Number	Publication Date
0	02/11/2000
1	03/03/2000
2	03/17/2000
3	04/28/2000
4	06/09/2000
5	06/16/2000
6	06/30/2000
7	07/28/2000
8	08/11/2000
9	08/18/2000
10	08/25/2000

COUNTY(ies):

ALAMEDA MARIPOSA SAN MATEO
CALAVERAS MERCED SANTA CLARA
CONTRA COSTA MONTEREY SANTA CRUZ
FRESNO SAN BENITO STANISLAUS
KINGS SAN FRANCISCO TUOLUMNE

MADERA SAN JOAQUIN

ASBE0016A 08/01/1999

Rates Fringes

INSULATOR/ASBESTOS WORKER

Includes the application of all insulating materials, protective coverings, coatings, and finishings

to all types of mechanical systems 36.13 7.41

ASBE0016E 05/01/1999

Rates Fringes
ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA

COUNTIES:

ASBESTOS REMOVAL WORKER/

HAZARDOUS MATERIAL HANDLER Includes preparation, wetting,

stripping, removal, scrapping, vacuuming, bagging and disposing of all insulation materials from mechanical systems, whether they

mechanical systems, whether they

contain asbestos or not 22.01 4.28

ASBE0016F 05/01/1999

Rates Fringes

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS AND TUOLUMNE COUNTIES:

ASBESTOS REMOVAL WORKER/

HAZARDOUS MATERIAL HANDLER

Includes preparation, wetting, stripping, removal, scrapping, vacuuming, bagging and disposing of all insulation materials from mechanical systems, whether they

contain asbestos or not 22.01 4.28

BOIL0092A 10/01/1999

Rates Fringes
BOILERMAKER 29.56 9.81
TUBE WELDER 31.06 9.81

BRCA0003B 08/01/1998

Rates Fringes MARBLE FINISHER 21.12 4.97

BRCA0003D 08/01/1998

Fringes Rates MARBLE SETTER 25.89 12.92

BRCA0003G 07/01/1999

Rates Fringes

SAN FRANCISCO AND SAN MATEO COUNTIES:

BRICKLAYER 29.45 9.75

FOOTNOTES:

Underground work such as tunnel work, sewer work, manholes, catch basins, sewer pipes and telephone conduit: \$5.00 per day additional.

Additionally, for work in direct contact with raw sewage: \$2.50 per day additional.

Operating a saw or grinder: \$0.50 per hour additional. Gunite nozzle person: \$1.00 per hour additional.

On one or two person light duty swinging scaffolds, from and including the seventh floor to the sky (floors to be determined by the number on the elevator identity or floor identity): \$10.00 per day additional.

BRCA0003K 07/01/1999

ALAMEDA, CONTRA COSTA, SAN BENITO AND SANTA CLARA COUNTIES:	Rates	Fringes
BRICKLAYER	28.67	8.53
CALAVERAS, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:		

24.45 BRICKLAYER 7.05

FOOTNOTES:

Underground work such as tunnel work, sewer work, manholes, catch basins, sewer pipes and telephone conduit shall be paid \$5.00 per day above the regular wage.

In addition to the daily allowance specified in the preceding sentence, all employees working in direct contact with raw sewage shall receive an additional allowance of \$2.50 per day above the regular wage.

Fifty cents (\$0.50) per hour extra will be allowed for operating a saw or grinder, provided such work is for the major portion of the day.

A gunite nozzle person shall receive \$1.00 per hour above the journeyman wage rate.

On one or two-person light-duty swinging scaffolds, from and including the seventh floor to the sky, \$10.00 per day over and above the regular wage shall be paid. The floors shall be determined by the number on the elevator identity or floor

	-					
٦	М	An	+	٦	tу	
_	u	. C11	٠.	_	C y	٠

BRICKLAYER 27.38 9.05

FOOTNOTES:

Underground work such as tunnel work, sewer work, manholes, catch basins, sewer pipes and telephone conduit: \$5.00 per day additional. In addition to the daily allowance specified in the preceding sentence, all workers working in direct contact with raw sewage: \$2.50 per day additional.

Operating a saw or grinder, provided such work is for the major portion of the day: \$0.50 per hour additional.

Gunite nozzle person: \$1.00 per hour additional.

Work on one or two person light duty swinging scaffolds, from and including the seventh floor to the sky (floors to be determined by the number on the elevator identity or floor identity): \$10.00 per day additional.

BRCA0003Q 07/01/1999

Rates Fringes

FRESNO, KINGS, MADERA, MARIPOSA AND MERCED COUNTIES:

BRICKLAYER 22.35 8.15

BRCA0003T 04/01/1998

Rates Fringes ALAMEDA, CALAVERAS, CONTRA COSTA, MONTEREY, SAN BENITO, SAN

FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ, STANISLAUS AND TUOLUMNE COUNTIES:

 TILE SETTER
 25.03
 7.60

 TILE FINISHER
 13.06
 5.27

BRCA0004P 07/01/1999

Rates Fringes
TERRAZZO WORKER 29.33 5.70
TERRAZZO FINISHER 15.56 5.02

FOOTNOTE:

Base machine operator: \$.75 per hour additional.

BRCA9003A 04/01/1999

Rates Fringes

FRESNO, KINGS, MADERA, MARIPOSA AND MERCED COUNTIES:

TILE FINISHER 15.70 4.22

TILE SETTER 20.29 5.00

CARP0003A 08/01/2000

Rates Fringes ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES:

DRYWALL INSTALLER/LATHER 28.00 11.645
DRYWALL STOCKER/SCRAPPER 14.50 6.385

$M \cap M \cap F \cap F \vee$	ZVI	BENTTO	ΔMD	α TM α D	CRITZ	COUNTIES:
MONTHLY,	DETIN		$\Delta \Pi \Pi D$	DHITH	CICUZ	COOMITIED.

DRYWALL INSTALLER/LATHER	24.12	11.645
DRYWALL STOCKER/SCRAPPER	12.06	6.385
REMAINDER OF COUNTIES:		
DRYWALL INSTALLER/LATHER	23.27	11.645
DRYWALL STOCKER/SCRAPPER	11.64	6.385

NOTE: Effective 8/1/99 new projects public or private, valued at twenty-five million dollars or more shall be paid at the Alameda, Contra Costa, San Francisco, San Mateo, and Santa Clara Counties rate.

CARP0012E 09/01/1993

Rates Fringes

CALAVERAS, SAN JOAQUIN AND STANISLAUS COUNTIES:

TILE FINISHER 12.80 3.12

CARP0034A 07/01/1996

	Rates	Fringes
DIVERS:		
Diver standby	25.95	12.955
Diver wet pay	37.20	12.955
Tender	25.95	12.955
Saturation diver	45.80	12.955
Manned submersible	45.80	12.955
Manifold operator/life support		
Technician	29.55	12.955
Remote controlled vehicle-		
remote operated vehicle pilot	25.95	12.955
Bell winch operator	25.95	12.955

DEPTH PAY (Surface Diving):

50 to 100 ft \$1.32/ft

100 to 150 ft \$66.00 + \$1.85/ft 150 to 200 ft \$158.00 + \$2.65/ft 200 ft and over \$291.00 + \$3.00/ft

CARP0034C 07/01/2000

Rates Fringes
ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO, AND SANTA CLARA
COUNTIES:

PILEDRIVER 27.65 12.785 PILEDRIVER - BRIDGE BUILDER 25.91 10.165

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS, AND TUOLUMNE COUNTIES:

PILEDRIVER 27.65 12.785 PILEDRIVER - BRIDGE BUILDER 22.43 10.165

MONTEREY, SAN BENITO AND SANTA CRUZ COUNTIES:

PILEDRIVER PILEDRIVER - BRIDGE BUILDER	27.65 23.28	12.785 10.165
CARPO035A 07/01/2000 ALAMEDA, CONTRA COSTA, SAN FRANCISCO	Rates , SAN MATEO, AND	
COUNTIES:		
CARPENTER HARDWOOD FLOORLAYER; SHINGLER; POWER SAW OPERATOR; STEEL SCAFFOLD AND STEEL SHORING	28.00	11.205
ERECTOR; SAW FILER	28.15	11.205
BRIDGE BUILDERS	28.00	11.205
MILLWRIGHT	28.00	12.645
CALAVERAS, FRESNO, KINGS, MADERA, MASTANISLAUS, AND TUOLUMNE COUNTIES:	RIPOSA, MERCED,	SAN JOAQUIN,
CARPENTER	22.77	11.205
HARDWOOD FLOORLAYER; SHINGLER; POWER SAW OPERATOR; STEEL SCAFFOLD AND STEEL SHORING		
ERECTOR; SAW FILER	22.97	11.205
BRIDGE BUILDERS	23.77	11.205
MILLWRIGHT	23.92	12.645
MONTEREY, SAN BENITO, AND SANTA CRUZ	COUNTIES:	
CARPENTER HARDWOOD FLOORLAYER; SHINGLER; POWER SAW OPERATOR; STEEL	24.12	11.205
SCAFFOLD AND STEEL SHORING ERECTOR; SAW FILER	24.27	11.205
BRIDGE BUILDERS	24.62	11.205
MILLWRIGHT	25.27	12.645
FOOTNOTE: Effective 7/1/99 new proje valued at twenty-five million dollar the Alameda, Contra Costa, San Franc Clara counties rate.	s or more shall isco, San Mato,	be paid at and Santa
CARPOO35H 07/01/1999	Rates 16.87	Fringes
MODULAR FURNITURE INSTALLER	10.0/	7.465
ELEC0006A 12/01/1999	Rates	Fringes

Rates Fringes
ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANCISCO,
SAN MATEO, SANTA CLARA, AND SANTA CRUZ COUNTIES:

COMMUNICATIONS AND SYSTEMS WORK:

Communications a	nd Systems		
Installer		21.32	3%+4.10
Communications a	nd Systems		
Technician		24.28	3%+4.10

SCOPE OF WORK:

Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm

system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE:

Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0006D 06/01/1998	Rates	Fringes
SAN FRANCISCO COUNTY:		
LINE CONSTRUCTION:		
Line technician; ground	0.4.055	
person/driver	34.375	3% + 11.665
Cable splicer	38.67	3% + 11.665
Ground person	29.92	3% + 11.665
ELEC0006E 11/01/1998	Rates	Fringes
SAN FRANCISCO COUNTY:	Races	rringes
SIGN ELECTRICIAN	20.00	3%

FOOTNOTE:

Paid Holidays: New Year's Day, Washington's Birthday, Memorial Day, 4th of July, Labor Day, Thanksgiving Day, Day after Thanksgiving, and Christmas Day. To be eligible for holiday pay the worker must work the first business day before and after said holiday.

ELEC0006H 06/01/1998	Rates	Fringes
SAN FRANCISCO COUNTY:	Rates	11111905
ELECTRICIAN: Electrician	34.375	3% + 11.57
Cable splicer	38.67	3% + 11.57

ELEC0006K 12/01/1999

Rates Fringes CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN,

STANISLAUS AND TUOLUMNE COUNTIES:

COMMUNICATIONS AND SYSTEMS WORK: Communications and Systems

Installer	18.72	3%+4.10
Communications and Systems		
Technician	21.31	3%+4.10

SCOPE OF WORK:

Including any data system whose only function is to transmit or receive information; excluding all other data systems or multiple systems which include control function or power supply; inclusion or exclusion of terminations and testings of conductors determined by their function; excluding fire alarm work when installed in raceways (including wire and cable pulling) and when performed on new or major remodel building projects or jobs for which the conductors for the fire alarm system are installed in conduit; excluding installation of raceway systems, line voltage work, industrial work, life-safety systems (all buildings having floors located more than 75' above the lowest floor level having building access); excluding energy management systems.

FOOTNOTE:

Fire alarm work when installed in raceways (including wire and cable pulling), on projects which involve new or major remodel building construction, for which the conductors for the fire alarm system are installed in the conduit, shall be performed by the inside electrician.

ELEC0100B 06/01/1997

Rates Fringes

FRESNO, KINGS, MADERA, COUNTIES:

LINE TECHNICIAN 20.78 3.75%+ 6.81

ELEC0100C 06/01/2000

Rates Fringes

FRESNO, KINGS, AND MADERA COUNTIES:

24.10 3% + 8.51 ELECTRICIAN

ELEC0234A 10/25/1999

Rates Fringes

MONTEREY, SAN BENITO AND SANTA CRUZ COUNTIES:

ELECTRICIANS 25.96 3% + 10.99

ELEC0234B 05/27/1996

Fringes Rates

MONTEREY, SAN BENITO, AND SANTA CRUZ COUNTIES:

LINE CONSTRUCTION:

Within the radius of 25 air mile from the intersection of Dolan Road and Hwy. #1 in Moss Landing; and an area extending 5 miles east and west of Hwy. #101 south to the San Luis Obispo County line Line technician & Equipment Operator Cable Splicer		4%+9.80 4%+9.80
Ground Person/Truck Driver	17.40	4%+8.35
Remainder of County: Line Technician & Equipment Operator Cable Splicer Ground Person/Truck Driver	25.52 28.42 19.72	4%+9.80 4%+9.80 4%+8.35
ELEC0302A 06/01/2000	Rates	Fringes
CONTRA COSTA COUNTY:	Races	11111905
ELECTRICIANS: Electrician Cable splicer	33.46 36.81	3%+8.16 3%+8.16
ELEC0302B 06/01/1996 CONTRA COSTA COUNTY:	Rates	Fringes
LINE CONSTRUCTION: Line technician Cable splicer Equipment operator Ground person	29.26 32.19 26.33 21.95	3%+8.60 3%+8.60 3%+8.60 3%+8.60
ELEC0332A 06/01/2000 SANTA CLARA COUNTY:	Rates	Fringes
ELECTRICIANS: Electrician Cable splicer	36.97 42.52	3% + 12.229 3% + 12.396

FOOTNOTES:

Work under compressed air or where gas masks are required, or work on ladders, scaffolds, stacks, "Bosun's chairs," or other structures and where the workers are not protected by permanent guard rails at a distance of 40 to 60 ft. from the ground or supporting structures: to be paid one and one-half times the straight-time rate of pay.

Work on structures of 60 ft. or over (as described above): to be paid twice the straight-time rate of pay.

Welding: \$5.00 per day additional.

		Rates	Fringes
SANTA CLARA	COUNTY:		

T.TNE	CONSTRUCTION	

Line technician; line equipment

person	33.50	3% + 11.06
Cable splicer	37.69	3% + 11.06
Ground person	29.32	3% + 10.11

FOOTNOTE:

Work on wooden poles, "H" frames or similar structures at a height of 75 ft. or more, or work on steel towers on tower structures where the point of attachment of the lowest high voltage insulator to the tower is 100 ft. or more: to be paid double time.

Flood lighting equipment or warning and signal lighting or similar equipment installed on towers over 100 ft. shall be considered premium work as provided above.

In determining height premium work, the top of the concrete footing of the stepped leg of the tower, or the ground level of the poles to be climbed and the lower side of the cross arm from which workers are required to work, shall be the determining factors.

There shall be no height premium work for the erection of steel transmission towers themselves.

ELEC0595A 06/01/2000 ALAMEDA COUNTY:	Rates	Fringes
ELECTRICIANS:		
Electrician	33.49	3% + 11.89
Cable splicer	37.48	3% + 11.89
ELEC0595B 12/01/1999 CALAVERAS AND SAN JOAQUIN COUNTI	Rates	Fringes
ELECTRICIANS: Tunnel work: Electrician Cable splicer All other work:	27.19 30.59	5.75%+ 8.59 5.75%+ 8.59
Electrician Cable splicer		5.75%+ 8.59 5.75%+ 8.59
ELEC0617A 06/01/2000 SAN MATEO COUNTY:	Rates	Fringes
ELECTRICIAN	38.80	3% + 9.66

ELEC0684A 07/01/2000

Rates Fringes

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES:

Electrician	26.12	6% + 8.75

Cable splicer 28.73 6% + 8.75

ELEC1245A 06/01/1999

]	Rates	Fringes
LINE	E CONSTRUCTION	AND	OUTSIDE	UTILITY	TRANSMISSION	WORK:

Line worker; Cable splicer	30.39	4.5% + 6.78
Powder worker	28.87	4.5% + 6.54
Ground person	19.75	4.5% + 6.50
Equipment specialist (operates		
crawler tractors, commercial		
motor vehicles, backhoes,		
trenchers, cranes (50 tons and		
below), and overhead and		
underground distribution line		
equipment)	25.83	4.5% + 6.50
Line worker, welding	31.91	4.5% + 7.02

SCOPE OF WORK:

All outside work on electrical transmission lines, switchyards and substations, and outside work in electrical utility distribution systems owned, maintained and operated by electrical utility companies, municipalities, or governmental agencies.

ELEV0008A 08/01/2000

Rates Fringes ELEVATOR MECHANIC 41.845 7.195

FOOTNOTE:

Vacation Pay: 8% with 5 or more years of service, 6% for 6 months to 5 years service. Paid Holidays: New Years Day, Memorial Day, Independence Day, Labor Day, Thanksgiving Day and Friday after, and Christmas Day.

ENGI0001A 05/01/1999

Rates Fringes

POWER EQUIPMENT OPERATORS
CRANES AND ATTACHMENTS
DREDGING
TUNNEL AND UNDERGROUND

These areas do not apply to piledrivers and steel erectors.

AREA 1: ALAMEDA, CONTRA COSTA, KINGS, MERCED, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN MATEO, SANTA CLARA, SANTA CRUZ AND STANISLAUS COUNTIES

The remaining counties are split between Area 1 and Area 2 as noted below:

CALAVERAS COUNTY:

AREA 1: Area within the line beginning at the southernmost point of Calaveras County,
Thence northerly along the southeasterly county line to the

- intersection with the easterly line of Range 15 East,
- Thence northerly to the northeast corner of Township 5N, Range 15E,
- Thence westerly to the southeast corner of Township 6N, Range 14E,
- Thence northerly along the range line to the intersection with the northerly line of said county,
- Thence westerly and southerly along the county line to the point of beginning.
- AREA 2: Remainder of Calaveras County.

FRESNO COUNTY:

- AREA 1: Area within the line beginning at the southeast corner of Township 13S, Range 28E,
- Thence northerly to the northeast corner of Township 13S, Range 28E,
- Thence westerly to the southeast corner of Township 12S, Range 27E,
- Thence northerly to the northeast corner of Township 12S, Range 27E,
- Thence westerly to the southeast corner of Township 11S, Range 26E,
- Thence northerly to the northeast corner of Township 11S, Range 26E,
- Thence westerly to the southeast corner of Township 10S, Range 25E,
- Thence northerly to the northeast corner of Township 9S, Range 25E,
- Thence westerly to the southeast corner of Township 8S, Range 24E,
- Thence northerly to the northeast corner of Township 8S, Range $24\text{E}\,,$
- Thence westerly along the north line of Township 8S to the intersection with the Fresno County line,
- Thence southwesterly and northwesterly along said county line to the intersection with the southeasterly line of Merced County,
- Thence southwesterly along said county line to the intersection with the easterly line of San Benito County,
- Thence southerly along said county line to the intersection with the easterly line of Monterey County,
- Thence southeasterly along said county line to the intersection with the northwesterly line of Kings County,
- Thence northeasterly along the southeasterly line of Fresno County to the point of beginning.
 - AREA 2: Remainder of Fresno County.

MADERA COUNTY:

- AREA 1: Area within the line beginning at the point of intersection of Fresno County, Madera County, and Merced County,
- Thence southeasterly and northeasterly along the southerly line of Madera County to the intersection with the northerly line of Township 8S,
- Thence westerly to the southeast corner of Township 7S, Range 23E,
- Thence northerly to the northeast corner of Township 6S,

Range 23E,

Thence westerly along the north line of Township 6S to the intersection of the northwesterly line of Madera County, Thence southwesterly along said county line to the point of beginning.

AREA 2: Remainder of Madera County.

MARIPOSA COUNTY:

AREA 1: Area within the line beginning at the point of intersection of Stanislaus County with Mariposa County, Thence southeasterly along the westerly line of Mariposa County to the intersection of Madera County, Thence northeasterly along said county line to the

Thence northeasterly along said county line to the intersection of the southerly line of Township 5S,

Thence westerly to the southeast corner of Township 5S, Range 20E,

Thence northerly to the northeast corner of Township 5S,

Range 20E,

Thence westerly to the southeast corner of Township 4S, Range 19E,

Thence northerly along the range line to the intersection with the northerly line of Mariposa County,

Thence westerly along said county line to the point of beginning.

AREA 2: Remainder of Mariposa County. MONTEREY COUNTY:

AREA 1: Area within a line beginning at the intersection of the southerly line of Township 19S with the Pacific Ocean,

Thence easterly along the southerly line of Township 19S to the northwest corner of Township 20S, Range 6E,

Thence southerly to the southwest corner of Township 20S, range 6E,

Thence easterly to the northwest corner of Township 21S, Range 7E,

Thence southerly to the southwest corner of Township 21S, Range 7E,

Thence easterly to the northwest corner of Township 22S, Range 9E,

Thence southerly to the southwest corner of Township 22S, Range 9E,

Thence easterly to the northwest corner of Township 23S, Range 10E,

Thence southerly to the southwest corner of Township 24S, Range 10E, $\,$

Thence easterly along the southerly line of Township 24S to the southeasterly corner of Monterey County,

Thence northwesterly along said county line to the point of intersection with the southerly line of Santa Cruz County,

Thence westerly along the northerly line of Monterey County to the Pacific Ocean,

Thence southerly along the Pacific Ocean to the point of beginning.

AREA 2: Remainder of Monterey County.

TUOLUMNE COUNTY:

AREA 1: Area within the line beginning at the point of intersection of the easterly line of Township 2S, Range 19E, with the southerly line of Tuolumne County,

Thence northerly to the northeast corner of Township 1S, Range 19E,

Thence westerly to the southeast corner of Township 1N, Range 18E,

Thence northerly to the northeast corner of Township 3N, Range 18E,

Thence westerly to the southeast corner of Township 4N, Range 17E,

Thence northerly to the northeast corner of Township 4N,

Range 17E,

Thence northerly to the northeast corner of Township 4N, Range 17E,

Thence westerly to the southeast corner of Township 5N, Range 15E,

Thence northerly to the intersection of the county line with the easterly line of Township 5N, Range 15E,

Thence southwesterly along the county line to the intersection of the northeasterly line of Stanislaus County,

Thence southeasterly along said county line to the southernmost corner of Tuolumne County,

Thence easterly along the county line to the point of beginning.

AREA 2: Remainder of Tuolumne County.

ENGI0003B 07/01/1999 POWER EQUIPMENT OPERATORS: DREDGING: CLAMSHELL & DIPPER HYDRAULIC SUCTION DREDGING:	Rates DREDGING;	Fringes
AREA 1: Lever person/operator Dredge dozer; Heavy duty	32.79	11.16
repair person/welder Booster pump operator; Deck engineer; Deck mate; Dredge	27.83	11.16
tender; Winch operator Barge person; Deckhand; Fire	26.71	11.16
person; Leveehand; Oiler	23.41	11.16
AREA 2:		
Lever person/operator Dredge dozer; Heavy duty	34.79	11.16
repair person/welder Booster pump operator; Deck engineer; Deck mate; Dredge	29.83	11.16
tender; Winch operator Barge person; Deckhand; Fire-	28.71	11.16
person; Levee hand; Oiler	25.41	11.16

ENGI0003C 06/16/2000

Rates Fringes
ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA
COUNTIES:

POWER EQUIPMENT OPERATORS:		
GROUP 1	32.82	12.70
GROUP 2	31.29	12.70
GROUP 3	29.81	12.70
GROUP 4	28.43	12.70
GROUP 5	27.16	12.70
GROUP 6	25.84	12.70
GROUP 7	26.70	12.70
GROUP 8	23.56	12.70
GROUP 8-A	21.35	12.70
	11. CD111EC 11E 1EE1	
POWER EQUIPMENT OPERATORS -		
GROUP 1		12.70
Truck crane oiler	26.73	12.70
Oiler	24.44	12.70
GROUP 2	31.94	12.70 12.70 12.70
Truck crane oiler	26.47 24.23	12.70
Oiler		12.70
GROUP 3		12.70
Truck crane oiler	26.23	12.70
Hydraulic	25.84	12.70 12.70
Oiler	23.95	12.70
POWER EQUIPMENT OPERATORS -	PILEDRIVERS:	
GROUP 1	34.04	12.70
Truck crane oiler	27.06	12.70
Oiler	24.78	12.70
GROUP 2	31.22	12.70
Truck crane oiler	26.81	12.70
Oiler	24.51	12.70
GROUP 3	29.54	12.70
Truck crane oiler	26.52	12.70
Oiler	24.29	12.70
GROUP 4	28.77	12.70
GROUP 5	26.13	12.70
GROUP 6	23.90	12.70
POWER EQUIPMENT OPERATORS -	CTFFI FDFCT∩DC.	
GROUP 1	34.67	12.70
Truck crane oiler	27.35	12.70
Oiler	25.12	12.70
GROUP 2	32.90	12.70
Truck crane oiler	27.13	12.70
Oiler	24.85	12.70
GROUP 3	31.42	12.70
Truck crane oiler	26.86	12.70
Hydraulic	26.47	12.70
Oiler	24.63	12.70
GROUP 4	29.40	12.70
GROUP 5	28.10	12.70
OKOUF J	20.10	12.70

FOOTNOTE:

Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATORS CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7

cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine; Crane mounted continuous flight tie back machine; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Multiple engine scraper (when used as plush pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572, or larger; Track loader 4 cu. yds. and over; Wheel excavator (up to and including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/boxperson; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pulltype elevating loader; Gradesetter, grade checker (mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber-tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt; Mine or shaft hoist; Portable crusher; Power jumbo ooperator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer;

Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boomtype backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, ariports and canals); Deck engineer, drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcatlarger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted

equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); screed (except asphaltic concrete paving); Self-propelled pipeline wrapping machine; Soils & materials tester; Tractor

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker (with or without compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip seal; Self-propelled automatically applied concrete curing machine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Trucktype loader

GROUP 8: Bit charpener; Boiler tender; Box operator;
Brakeperson; Combination mixer and compressor (shotcrete/gunite);
Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete dquipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator; Slusher operator; Surface heater; Switchperson; Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader - Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe - trencher)

POWER EQUIPMENT OPERATOR CLASSIFICATIONS ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and Dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and Dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boomtype lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and Dragline up to and including 1 cu. yd.; Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons; Boom truck or dual purpose A-frame truck, non-rotating, over 15 tons

POWER EQUIPMENT OPERATORS - PILEDRIVER CLASSIFICATIONS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell

over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including

100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer

GROUP 6: Deckhand; Fire tender

POWER EQUIPMENT OPERATORS - STEEL ERECTOR CLASSIFICATIONS

GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane, over 45 tons up to and including 100 tons; Derrick, 100 tons & under; Self-propelled boom-type lifting device over 45 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under

GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

ENGI0003G 06/16/2000	Rates	Fringes
POWER EQUIPMENT OPERATORS: TUNNEL AND UNDERGROUND WORK:	Races	rringes
AREA 1:		
UNDERGROUND:		
GROUP 1-A	31.29	12.70
GROUP 1	28.82	12.70
GROUP 2	27.56	12.70
GROUP 3	27.23	12.70
GROUP 4	25.09	12.70
GROUP 5	23.95	12.70
SHAFTS, STOPES AND RAISES:		
GROUP 1-A	31.39	12.70
GROUP 1	28.92	12.70
GROUP 2	27.66	12.70
GROUP 3	26.33	12.70

GROUP GROUP		25.19 24.05	12.70 12.70
AREA UNDERGI	COUND:		
GROUP	1-A	33.29	12.70
GROUP	1	30.82	12.70
GROUP	2	29.56	12.70
GROUP	3	28.23	12.70
GROUP	4	27.09	12.70
GROUP	5	25.95	12.70
SHAFTS	, STOPES AND RAISES:		
GROUP	1-A	33.39	12.70
GROUP	1	30.92	12.70
GROUP	2	29.66	12.70
GROUP	3	28.33	12.70
GROUP	4	27.19	12.70
GROUP	5	26.05	12.70

FOOTNOTE:

Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1-A: Tunnel bore machine operator, 20' diameter or more

GROUP 1: Heading shield operator; Heavy-duty repairperson/welder; Mucking machine (rubber tired, rail or track type); Raised bore operator (tunnels); Tunnel mole bore operator

GROUP 2: Combination slusher and motor operator; Concrete pump or pumpcrete gun; Power jumbo operator

GROUP 3: Drill doctor; Mine or shaft hoist

 ${\tt GROUP}$ 4: Combination slurry mixer cleaner; Grouting machine operator; Motor person

GROUP 5: Bit sharpener; Brake person; Combination mixer and compressor (gunite); Compressor operator; Oiler (assistant to engineer); Pump operator; Slusher operator

ENGI0004K 07/01/1999

Rates Fringes KINGS, MERCED, SAN BENITO, SAN JOAQUIN, SANTA CRUZ AND STANISLAUS COUNTIES:

BUILDING CONSTRUCTION:

POWER EQUIPMENT OPERATORS:

GROUP GROUP GROUP GROUP GROUP GROUP GROUP	2 3 4 5 6 7 8	30.40 28.95 27.55 26.22 25.01 23.74 22.65 21.57	12.79 12.79 12.79 12.79 12.79 12.79 12.79
GROUP	_	19.45	12.79

POWER EQUIPMENT OPERATORS - ALL CRANES AND ATTACHMENTS:

TOWER EQUITMENT OF ERRIFORD		
GROUP 1	31.25	12.79
Truck crane oiler	24.59	12.79
	22.42	12.79
Oiler		
GROUP 2	29.56	12.79
Truck crane oiler	24.35	12.79
Oiler	22.20	12.79
GROUP 3	27.92	12.79
Truck crane oiler	24.11	12.79
Hydraulic	23.74	12.79
Oiler	21.95	12.79
POWER EQUIPMENT OPERATORS -	DII.FDDIWFDC:	
GROUP 1	31.56	12.79
	24.91	
Truck crane oiler		12.79
Oiler	22.74	12.79
GROUP 2	29.85	12.79
Truck crane oiler	24.68	12.79
Oiler	22.49	12.79
GROUP 3		12.79
Truck crane oiler	24.41	12.79
Oiler	22.26	12.79
GROUP 4	26.54	12.79
GROUP 5	24.04	12.79
GROUP 6	21.90	12.79
GROOT 0	21.50	12.75
POWER EQUIPMENT OPERATORS -	STEEL ERECTION:	
GROUP 1	32.19	12.79
Truck crane oiler	25.20	12.79
Oiler	23.06	12.79
GROUP 2	30.48	12.79
Truck crane oiler	24.98	12.79
Oiler	22.81	12.79
GROUP 3	29.09	12.79
Truck crane oiler	24.73	12.79
Hydraulic	24.35	12.79
Oiler	22.58	12.79
GROUP 4	27.16	12.79
GROUP 5	25.91	12.79
HEAVY AND HIGHWAY CONSTRUCT	'ION:	
POWER EQUIPMENT OPERATORS:		
GROUP 1	31.82	12.79
GROUP 2	30.29	12.79
GROUP 3	28.81	12.79
GROUP 4	27.43	12.79
	26.16	12.79
GROUP 5		
GROUP 6	24.84	12.79
GROUP 7	23.70	12.79
GROUP 8	22.56	12.79
GROUP 8-A	20.35	12.79
POWER EQUIPMENT OPERATORS -	ALL CRANES AND ATTAC	HMENTS:
GROUP 1	32.70	12.79
Truck crane oiler	25.73	12.79
Oiler	23.44	12.79
OTIET	23.44	14.13

GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Hydraulic Oiler	23 25 24	30.94 5.47 3.23 29.20 5.23 4.84 2.95	12.79 12.79 12.79 12.79 12.79 12.79 12.79
POWER EQUIPMENT OP	ERATORS - PILEDRIVE	ERS:	
GROUP 1		33.04	12.79
Truck crane oiler	26	5.06	12.79
Oiler	23	3.78	12.79
GROUP 2		31.22	12.79
Truck crane oiler	25	5.81	12.79
Oiler	23	3.51	12.79
GROUP 3		29.54	12.79
Truck crane oiler	25	5.52	12.79
Oiler	23	3.29	12.79
GROUP 4		27.77	12.79
GROUP 5		25.13	12.79
GROUP 6		22.90	12.79
POWER EQUIPMENT OP	ERATORS - STEEL ERE	ECTORS:	
GROUP 1		33.67	12.79
Truck crane oiler		5.35	12.79
Oiler	24	1.12	12.79
GROUP 2			12.79
Truck crane oiler		5.13	12.79
Oiler	23	3.85	12.79
GROUP 3		30.42	12.79
Truck crane oiler		5.86	12.79
Hydraulic		5.47	12.79
Oiler	23	3.63	12.79
GROUP 4		28.40	12.79
GROUP 5		27.10	12.79

FOOTNOTE:

Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine; Crane mounted continuous flight tie back machine; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Multiple engine scraper (when used as push pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572 or larger; Track loader 4 cu. yds. and over; Wheel excavator (up to and including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/box person; Chicago boom;

Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pulltype elevating loader; Gradesetter, grade checker (mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber-tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper; Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels); Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boomtype backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and

including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving); Self-propelled pipeline wrapping machine; Soils & materials tester; Tractor

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without

compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing mahcine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Truck-type loader

GROUP 8: Bit sharpener; Boiler tender; Box operator; Brakeperson; Combination mixer and compressor (shotcrete/gunite); Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete equipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator; Slusher operator; Surface heater; Switchperson; Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader - Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe - trencher)

POWER EQUIPMENT OPERATOR CLASSIFICATIONS ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted, over 100 tons; Self-propelled boom-type lifting device, over 100 tons

GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane

GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons; Boom truck or dual purpose A-frame truck, non-rotating, over 15 tons

POWER EQUIPMENT OPERATORS - PILEDRIVERS

GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons

GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons

GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge

mounted 45 tons and under

GROUP 4: Assistant operator in lieu of assistant to engineer; Forklift, 10 tons and over; Heavy-duty repairperson/welder

GROUP 5: Deck engineer

GROUP 6: Deckhand; Fire tender

POWER EQUIPMENT OPERATORS - STEEL ERECTORS GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons

GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane

GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under

GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

ENGI0004L 07/01/1999

Rates Fringes CALAVERAS, FRESNO, MADERA, MARIPOSA, MONTEREY AND TUOLUMNE COUNTIES:

BUILDING CONSTRUCTION:

POWER EQUIPMENT OPERATORS:

AREA	1:		
GROUP	1	30.40	12.79
GROUP	2	28.95	12.79
GROUP	3	27.55	12.79
GROUP	4	26.22	12.79
GROUP	5	25.01	12.79
GROUP	6	23.74	12.79
GROUP	7	22.65	12.79
GROUP	8	21.57	12.79
GROUP	8-A	19.45	12.79
AREA	2:		
GROUP	1	32.40	12.79
GROUP	2	30.95	12.79
GROUP	3	29.55	12.79
GROUP	4	28.22	12.79
GROUP	5	27.01	12.79
GROUP	6	25.74	12.79
GROUP	7	24.65	12.79
GROUP	8	23.57	12.79
GROUP	8-A	21.45	12.79

POWER EQUIPMENT OPERATORS - ALL CRANES AND ATTACHMENTS:

AREA 1:		
GROUP 1	31.25	12.79
Truck crane oiler	24.59	12.79

Oiler GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Hydraulic Oiler	22.42 29.56 24.35 22.20 27.92 24.11 23.74 21.95	12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79
AREA 2: GROUP 1 Truck crane oiler Oiler GROUP 2	33.25 26.59 24.42 31.56	12.79 12.79 12.79 12.79
Truck crane oiler Oiler GROUP 3 Truck crane oiler Hydraulic Oiler	26.35 24.20 29.92 26.11 25.74 23.95	12.79 12.79 12.79 12.79 12.79 12.79
POWER EQUIPMENT OPERATORS - PILEDE GROUP 1 Truck crane oiler Oiler GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Oiler GROUP 4 GROUP 5 GROUP 6	31.56 24.91 22.74 29.85 24.68 22.49 28.24 24.41 22.26 26.54 24.04 21.90	12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79
POWER EQUIPMENT OPERATORS - STEEL GROUP 1 Truck crane oiler Oiler GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Hydraulic Oiler GROUP 4 GROUP 5	ERECTION:	12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79
HEAVY AND HIGHWAY CONSTRUCTION: POWER EQUIPMENT OPERATORS:		
AREA 1: GROUP 1 GROUP 2 GROUP 3 GROUP 4 GROUP 5 GROUP 6 GROUP 7	31.82 30.29 28.81 27.43 26.16 24.84 23.70	12.79 12.79 12.79 12.79 12.79 12.79 12.79

GROUP 8 GROUP 8-A	22.56 20.35	12.79 12.79
AREA 2: GROUP 1 GROUP 2 GROUP 3 GROUP 4 GROUP 5 GROUP 6 GROUP 7	33.82 32.29 30.81 29.43 28.16 26.84 25.70	12.79 12.79 12.79 12.79 12.79 12.79
GROUP 8 GROUP 8-A	24.56 22.35	12.79 12.79
POWER EQUIPMENT OPERATORS - ALL CRA	ANES AND ATTACHI	MENTS:
AREA 1: GROUP 1 Truck crane oiler Oiler GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Hydraulic Oiler	32.70 25.73 23.44 30.94 25.47 23.23 29.20 25.23 24.84 22.95	12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79
AREA 2: GROUP 1 Truck crane oiler Oiler GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Hydraulic Oiler	34.70 27.73 25.44 32.94 27.47 25.23 31.20 27.23 26.84 24.95	12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79
POWER EQUIPMENT OPERATORS - PILEDRI	IVERS:	
GROUP 1 Truck crane oiler Oiler GROUP 2 Truck crane oiler Oiler GROUP 3 Truck crane oiler Oiler GROUP 4 GROUP 5 GROUP 6	33.04 26.06 23.78 31.22 25.81 23.51 29.54 25.52 23.29 27.77 25.13 22.90	12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79 12.79
POWER EQUIPMENT OPERATORS - STEEL I	ERECTORS:	
GROUP 1 Truck crane oiler Oiler GROUP 2 Truck crane oiler Oiler GROUP 3	33.67 26.35 24.12 31.90 26.13 23.85 30.42	12.79 12.79 12.79 12.79 12.79 12.79 12.79

Truck crane oiler	25.86	12.79
Hydraulic	25.47	12.79
Oiler	23.63	12.79
GROUP 4	28.40	12.79
GROUP 5	27.10	12.79

FOOTNOTE:

Work suspended by ropes or cables, or work on a Yo-Yo Cat: \$.60 per hour additional.

POWER EQUIPMENT OPERATOR CLASSIFICATIONS

GROUP 1: Operator of helicopter (when used in erection work); Hydraulic excavator, 7 cu. yds. and over; Power shovels, over 7 cu. yds.

GROUP 2: Highline cableway; Hydraulic excavator, 3-1/2 cu. yds. up to 7 cu. yds.; Power blade operator (finish); Power shovels, over 1 cu. yd. up to and including 7 cu. yds. m.r.c.

GROUP 3: Asphalt milling machine; Cable backhoe; Combination backhoe and loader over 3/4 cu. yds.; Continuous flight tie back machine; Crane mounted continuous flight tie back machine; Crane mounted drill attachment, tonnage to apply; Dozer, slope brd; Gradall; Hydraulic excavator, up to 3 1/2 cu. yds.; Loader 4 cu. yds. and over; Multiple engine scraper (when used as push pull); Power shovels, up to and including 1 cu. yd.; Pre-stress wire wrapping machine; Side boom cat, 572 or larger; Track loader 4 cu. yds. and over; Wheel excavator (up to and including 750 cu. yds. per hour)

GROUP 4: Asphalt plant engineer/box person; Chicago boom; Combination backhoe and loader up to and including 3/4 cu. yd.; Concrete batch plant (wet or dry); Dozer and/or push cat; Pulltype elevating loader; Gradesetter, grade checker (mechanical or otherwise); Grooving and grinding machine; Heading shield operator; Heavy-duty drilling equipment, Hughes, LDH, Watson 3000 or similar; Heavy-duty repairperson and/or welder; Lime spreader; Loader under 4 cu. yds.; Lubrication and service engineer (mobile and grease rack); Mechanical finishers or spreader machine (asphalt, Barber-Greene and similar); Miller Formless M-9000 slope paver or similar; Portable crushing and screening plants; Power blade support; Roller operator, asphalt; Rubber-tired scraper, self-loading (paddle-wheels, etc.); Rubber-tired earthmoving equipment (scrapers); Slip form paver (concrete); Small tractor with drag; Soil stabilizer (P & H or equal); Timber skidder; Track loader up to 4 yds.; Tractor-drawn scraper;

Tractor, compressor drill combination; Welder; Woods-Mixer (and other similar Pugmill equipment)

GROUP 5: Cast-in-place pipe laying machine; Combination slusher and motor operator; Concrete conveyor or concrete pump, truck or equipment mounted; Concrete conveyor, building site; Concrete pump or pumpcrete gun; Drilling equipment, Watson 2000, Texoma 700 or similar; Drilling and boring machinery, horizontal (not to apply to waterliners, wagon drills or jackhammers); Concrete mixer/all; Person and/or material hoist; Mechanical finishers (concrete) (Clary, Johnson, Bidwell Bridge Deck or similar types); Mechanical burm, curb and/or curb and gutter machine, concrete or asphalt); Mine or shaft hoist; Portable crusher; Power jumbo operator (setting slip-forms, etc., in tunnels);

Screed (automatic or manual); Self-propelled compactor with dozer; Tractor with boom D6 or smaller; Trenching machine, maximum digging capacity over 5 ft. depth; Vermeer T-600B rock cutter or similar

GROUP 6: Armor-Coater (or similar); Ballast jack tamper; Boomtype backfilling machine; Assistant plant engineer; Bridge and/or gantry crane; Chemical grouting machine, truck-mounted; Chip spreading machine operator; Concrete saw (self-propelled unit on streets, highways, airports and canals); Deck engineer; Drilling equipment Texoma 600, Hughes 200 Series or similar up to and including 30 ft. m.r.c.; Drill doctor; Helicopter radio operator; Hydro-hammer or similar; Line master; Skidsteer loader, Bobcat larger than 743 series or similar (with attachments); Locomotive; Lull hi-lift or similar; Oiler, truck mounted equipment; Pavement breaker, truck-mounted, with compressor combination; Paving fabric installation and/or laying machine; Pipe bending machine (pipelines only); Pipe wrapping machine (tractor propelled and supported); Screed (except asphaltic concrete paving); Selfpropelled pipeline wrapping machine; Soils & materials tester; Tractor

GROUP 7: Ballast regulator; Boom truck or dual-purpose A-frame truck, non-rotating - under 15 tons; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) - under 15 tons; Cary lift or similar; Combination slurry mixer and/or cleaner; Drilling equipment, 20 ft. and under m.r.c.; Firetender (hot plant); Grouting machine operator; Highline cableway signalperson; Stationary belt loader (Kolman or similar); Lift slab machine (Vagtborg and similar types); Maginnes internal full slab vibrator; Material hoist (1 drum); Mechanical trench shield; Pavement breaker with or without compressor combination); Pipe cleaning machine (tractor propelled and supported); Post driver; Roller (except asphalt); Chip Seal; Self-propelled automatically applied concrete curing mahcine (on streets, highways, airports and canals); Self-propelled compactor (without dozer); Signalperson; Slip-form pumps (lifting device for concrete forms); Tie spacer; Tower mobile; Trenching machine, maximum digging capacity up to and including 5 ft. depth; Trucktype loader

GROUP 8: Bit sharpener; Boiler tender; Box operator; Brakeperson; Combination mixer and compressor (shotcrete/gunite);

Compressor operator; Deckhand; Fire tender; Forklift (under 20 ft.); Generator; Gunite/shotcrete equipment operator; Hydraulic monitor; Ken seal machine (or similar); Mixermobile; Oiler; Pump operator; Refrigeration plant; Reservoir-debris tug (self-propelled floating); Ross Carrier (construction site); Rotomist operator; Self-propelled tape machine; Shuttlecar; Self-propelled power sweeper operator; Slusher operator; Surface heater; Switchperson; Tar pot firetender; Tugger hoist, single drum; Vacuum cooling plant; Welding machine (powered other than by electricity)

GROUP 8-A: Elevator operator; Skidsteer loader - Bobcat 743 series or smaller, and similar (without attachments); Mini excavator under 25 H.P. (backhoe - trencher)

POWER EQUIPMENT OPERATOR CLASSIFICATIONS ALL CRANES AND ATTACHMENTS

GROUP 1: Clamshell and dragline over 7 cu. yds.; Crane, over 100 tons; Derrick, over 100 tons; Derrick barge pedestal-mounted,

- over 100 tons; Self-propelled boom-type lifting device, over 100 tons
- GROUP 2: Clamshell and dragline over 1 cu. yd. up to and including 7 cu. yds.; Crane, over 45 tons up to and including 100 tons; Derrick barge, 100 tons and under; Self-propelled boom-type lifting device, over 45 tons; Tower crane
- GROUP 3: Clamshell and dragline up to and including 1 cu. yd.; Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under; Truck-mounted rotating telescopic boom type lifting device, Manitex or similar (boom truck) under 15 tons; Boom truck or dual purpose A-frame truck, non-rotating, over 15 tons

POWER EQUIPMENT OPERATORS - PILEDRIVERS

- GROUP 1: Derrick barge pedestal mounted over 100 tons; Clamshell over 7 cu. yds.; Self-propelled boom-type lifting device over 100 tons; Truck crane or crawler, land or barge mounted over 100 tons
- GROUP 2: Derrick barge pedestal mounted 45 tons to and including 100 tons; Clamshell up to and including 7 cu. yds.; Self-propelled boom-type lifting device over 45 tons; Truck crane or crawler, land or barge mounted, over 45 tons up to and including 100 tons
- GROUP 3: Derrick barge pedestal mounted under 45 tons; Self-propelled boom-type lifting device 45 tons and under; Skid/scow piledriver, any tonnage; Truck crane or crawler, land or barge mounted 45 tons and under
 - GROUP 4: Assistant operator in lieu of assistant to engineer;
- Forklift, 10 tons and over; Heavy-duty repairperson/welder
 - GROUP 5: Deck engineer
 - GROUP 6: Deckhand; Fire tender

POWER EQUIPMENT OPERATORS - STEEL ERECTORS

- GROUP 1: Crane over 100 tons; Derrick over 100 tons; Self-propelled boom-type lifting device over 100 tons
- GROUP 2: Crane over 45 tons to 100 tons; Derrick under 100 tons; Self-propelled boom-type lifting device over 45 tons to 100 tons; Tower crane
- GROUP 3: Crane, 45 tons and under; Self-propelled boom-type lifting device, 45 tons and under
- GROUP 4: Chicago boom; Forklift, 10 tons and over; Heavy-duty repair person/welder

GROUP 5: Boom cat

* IRON0001U 07/01/2000

Rates Fringes
ALAMEDA, CALAVERAS, CONTRA COSTA, FRESNO, KINGS, MADERA,
MARIPOSA, MERCED, SAN BENITO, SAN FRANCISCO, SAN JOAQUIN, SAN
MATEO, SANTA CLARA, SANTA CRUZ, STANISLAUS AND TUOLUMNE COUNTIES:

IRONWORKERS:

Fence erector 23.94 14.375

Ornamental, reinforcing and

structural 24.83 14.375

FOOTNOTE:

CITY OF SAN FRANCISCO (defined as the city limits of San Francisco (as described by the San Francisco County Recorder's Office as of July 1, 1998), the Golden Gate Bridge in its entirety, and the west side of the San Francisco Bay Bridge up to and including Treasure Island):

Congestion zone fee: \$8.00 per day.

* IRON0001V 07/01/2000

Rates Fringes

MONTEREY COUNTY:

IRONWORKERS:

Fence erector 23.94 14.375

Ornamental, reinforcing and

structural 24.83 14.375

FOOTNOTE:

Work at the Army Defense Language Institute, and the Naval Post Graduate School: \$2.00 per hour additional.

LABO0036A 07/01/1999

Rates Fringes

SAN FRANCISCO AND SAN MATEO COUNTIES:

BRICK TENDER 19.84 7.57

FOOTNOTES:

Underground work such as sewers, manholes, catch basins, sewer pipes, telephone conduits, tunnels and cut trenches: \$5.00 per day additional.

Work in live sewage: \$2.50 per day additional.

LABO0036B 07/01/1999

Rates Fringes

SAN FRANCISCO AND SAN MATEO COUNTIES:

PLASTERER TENDER 19.87 7.66

FOOTNOTES:

Work on a suspended scaffold: \$5.00 per day additional. Work operating a plaster mixer pump gun: \$1.00 per hour additional.

LABO0067B 12/01/1998

Rates Fringes
ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO, AND SANTA CLARA

COUNTIES:

ASBESTOS REMOVAL LABORER 12.17 4.13

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS, AND TUOLUMNE

ASBESTOS REMOVAL LABORER 10.58 4.13

SCOPE OF WORK:

Covers site mobilization; initial site clean-up; site preparation; removal of asbestos-containing materials from walls and ceilings; or from pipes, boilers and mechanical systems only if they are being scrapped; encapsulation, enclosure and disposal of asbestos-containing materials by hand or with equipment or machinery; scaffolding; fabrication of temporary wooden barriers; and assembly of decontamination stations.

LABO0067H 06/26/2000

Rates Fringes ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES:

LABORERS:

Construction specialist group	22.86	7.55
Group 1	22.16	7.55
Group 1-a	22.38	7.55
GROUP 1-b: see note below		
GROUP 1-c	22.21	7.55
GROUP 1-d: see note below		
GROUP 1-e	22.71	7.55
GROUP 1-f	22.74	7.55
GROUP 1-g (Contra Costa County)	22.36	7.55
GROUP 2	22.01	7.55
GROUP 3	21.91	7.55
GROUP 4	15.60	7.55

See groups 1-b and 1-d under laborer classifications.

GUNITE LABORERS:

GROUP 1

GROUP 2 GROUP 3 GROUP 4	22.62 22.03 21.91	7.55 7.55 7.55
WRECKING WORK:		
GROUP 1	22.16	7.55
GROUP 2	22.01	7.55
GROUP 3	15.60	7.55

23.12 7.55

GARDENERS, HORTICULTURAL AND LANDSCAPE

LABORERS:

New construction	21.91	7.55
Establishment warranty period	15.60	7.55

TUNNEL AND SHAFT LABORERS:

GROUP	1	26.52	7.55
GROUP	2	26.29	7.55
GROUP	3	26.04	7.55
GROUP	4	25.77	7.55
GROUP	5	25.59	7.55
GROUP	6	25.05	7.55

FOOTNOTES:

Laborers working off or with or from bos'n chairs, swinging

scaffolds, belts shall receive \$0.25 per hour above the applicable wage rate. This shall not apply to workers entitled to receive the wage rate set forth in Group 1-a below.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Masonry and plasterer tender; Cast-in-place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2" or over, 100 lbs. pressure/over); Hydro seeder and similar type; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group 1 wage rates. "Sewer cleaner" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all

recently active sewer manholes shal receive \$5.00 per day above Group 1 wage rates.

- GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding
- GROUP 1-d: Maintenance and repair track and road beds. All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.
- GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.
- GROUP 1-f: Wire winding machine in connection with guniting or shot crete
- GROUP 1-g, CONTRA COSTA COUNTY: Pipelayer (including grade checking in connection with pipelaying); Caulker; Bander; Pipewrapper; Conduit layer; Plastic pipe layer; Pressure pipe tester; No joint pipe and stripping of same, including repair of voids; Precast manhole setters, cast in place manhole form setters
- GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender, nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe under 12 inches
- GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)
- GROUP 4: All clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner
- (jobsite only). The classification "material cleaner" is to be utilized under the following conditions:
 - A: at demolition site for the salvage of the material.
 - B: at the conclusion of a job where the material is to be salvaged and stocked to be reused on another job.
 - C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of "form stripping, cleaning and oiling and moving to the next point of erection".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural nozzle operator

GROUP 2: Nozzle operator (including gun, pot); Ground person

GROUP 3: Rebound

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

GROUP 3: General laborer (includes all clean-up work, loading lumber, loading and burning of debris)

TUNNEL AND SHAFT LABORER CLASSIFICATIONS

- GROUP 1: Diamond driller; Ground person; Gunite and shotcrete nozzle operator
- GROUP 2: Rod person; Shaft work & raise (below actual or excavated ground level)
- GROUP 3: Bit grinder; Blaster, driller, powder person heading; Cherry picker operator where car is lifted; Concrete finisher in tunnel; Concrete screed person; Grout pump operator and pot person; Gunite & shotcrete gun person & pot person; Header person; High pressure nozzle operator; Miner tunnel, including top and bottom person on shaft and raise work; Nipper; Nozzle operator on slick line; Sandblaster pot person
- GROUP 4: Steel form raiser and setter; Timber person, retimber person (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powder person primer house
- GROUP 5: Vibrator operator, pavement breaker; Bull gang muckers, track person; Concrete crew includes rodding and spreading
- GROUP 6: Dump person (any method); Grout crew; Rebound person; Swamper

LABO0067J 06/26/2000

Rates Fringes
CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN
BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS AND TUOLUMNE
COUNTIES:

LABORERS:

III OILLIE		
Construction specialist group	21.86	7.55
GROUP 1	21.16	7.55
GROUP 1-a	21.38	7.55
GROUP 1-b: see note below		
GROUP 1-c	21.21	7.55

GROUP	1-d: see note below		
GROUP	1-e	21.71	7.55
GROUP	1-f	21.74	7.55
GROUP	2	21.01	7.55
GROUP	3	20.90	7.55
GROUP	4	14.60	7.55

See groups 1-b and 1-d under 1	laborer classificati	ons.
GUNITE LABORERS:		
GROUP 1	21.62	7.55
GROUP 2	21.62	7.55
GROUP 3	21.03	7.55
GROUP 4	20.91	7.55
WRECKING WORK:		
GROUP 1	21.16	7.55
GROUP 2	21.01	7.55
GROUP 3	14.60	7.55
GARDENERS, HORTICULTURAL AND LABORERS:	LANDSCAPE	
New construction	20.90	7.55
Establishment warranty period	14.60	7.55
TUNNEL AND SHAFT LABORERS:		
GROUP 1	26.52	7.55
GROUP 2	26.29	7.55
GROUP 3	26.04	7.55
GROUP 4	25.77	7.55
GROUP 5	25.59	7.55
GROUP 6	20.05	7.55

FOOTNOTE:

Laborers working off or with or from bos'n chairs, swinging scaffolds, belts (not applicable to workers entitled to receive the wage rate set forth in Group 1-a): \$0.25 per hour additional.

LABORER CLASSIFICATIONS

CONSTRUCTION SPECIALIST GROUP: Asphalt ironer and raker; Chainsaw; Laser beam in connection with laborers' work; Masonry and plasterer tender; Cast-in-place manhole form setter; Pressure pipelayer; Davis trencher - 300 or similar type (and all small trenchers); Blaster; Diamond driller; Multiple unit drill; Hydraulic drill

GROUP 1: Asphalt spreader boxes (all types); Barko, Wacker and similar type tampers; Buggymobile; Caulker, bander, pipewrapper, conduit layer, plastic pipelayer; Certified hazardous waste worker; Compactors of all types; Concrete and magnesite mixer, 1/2 yd. and under; Concrete pan work; Concrete sander; Concrete saw; Cribber and/or shoring; Cut granite curb setter; Dri-pak-it machine; Faller, logloader and bucker; Form raiser, slip forms; Green cutter; Headerboard, Hubsetter, aligner, by any method; High pressure blow pipe (1-1/2" or over, 100 lbs. pressure/over); Hydro seeder and similar ype; Jackhammer operator; Jacking of pipe over 12 inches; Jackson and similar type compactor; Kettle tender, pot and worker applying asphalt, lay-kold, creosote, lime, caustic and similar type materials (applying means

applying, dipping or handling of such materials); Lagging, sheeting, whaling, bracing, trenchjacking, lagging hammer; Magnesite, epoxyresin, fiberglass, mastic worker (wet or dry); No joint pipe and stripping of same, including repair of voids; Pavement breaker and spader, including tool grinder; Perma curb; Pipelayer (including grade checking in connection with pipelaying); Precast-manhole setter; Pressure pipe tester; Post hole digger, air, gas and electric; Power broom sweeper; Power tampers of all types (except as shown in Group 2); Ram set gun and stud gun; Riprap stonepaver and rock-slinger, including placing of sacked concrete and/or sand (wet or dry) and gabions and similar type; Rotary scarifier or multiple head concrete chipping scarifier; Roto and Ditch Witch; Rototiller; Sandblaster, pot, gun, nozzle operators; Signalling and rigging; Tank cleaner; Tree climber; Turbo blaster; Vibrascreed, bull float in connection with laborers' work; Vibrator; Hazardous waste worker (lead removal); Asbestos and mold removal worker

GROUP 1-a: Joy drill model TWM-2A; Gardner-Denver model DH143 and similar type drills; Track driller; Jack leg driller; Wagon driller; Mechanical drillers, all types regardless of type or method of power; Mechanical pipe layers, all types regardless of type or method of power; Blaster and powder; All work of loading, placing and blasting of all powder and explosives of whatever type regardless of method used for such loading and placing; High scalers (including drilling of same); Tree topper; Bit grinder

GROUP 1-b: Sewer cleaners shall receive \$4.00 per day above Group

1 wage rates. "Sewer cleaner" means any worker who handles or comes in contact with raw sewage in small diameter sewers. Those who work inside recently active, large diameter sewers, and all recently active sewer manholes, shall receive \$5.00 per day above Group 1 wage rates.

GROUP 1-c: Burning and welding in connection with laborers' work; Synthetic thermoplastics and similar type welding

GROUP 1-d: Maintenance and repair track and road beds (underground structures). All employees performing work covered herein shall receive \$.25 per hour above their regular rate for all work performed on underground structures not specifically covered herein. This paragraph shall not be construed to apply to work below ground level in open cut. It shall apply to cut and cover work of subway construction after the temporary cover has been placed.

GROUP 1-e: Work on and/or in bell hole footings and shafts thereof, and work on and in deep footings. (A deep footing is a hole 15 feet or more in depth.) In the event the depth of the footing is unknown at the commencement of excavation, and the final depth exceeds 15 feet, the deep footing wage rate would apply to all employees for each and every day worked on or in the excavation of the footing from the date of inception.

GROUP 1-f: Wire winding machine in connection with guniting or shot crete

GROUP 2: Asphalt shoveler; Cement dumper and handling dry cement or gypsum; Choke-setter and rigger (clearing work); Concrete bucket dumper and chute; Concrete chipping and grinding; Concrete laborer (wet or dry); Driller tender, chuck tender,

nipper; Guinea chaser (stake), grout crew; High pressure nozzle, adductor; Hydraulic monitor (over 100 lbs. pressure); Loading and unloading, carrying and hauling of all rods and materials for use in reinforcing concrete construction; Pittsburgh chipper and similar type brush shredders; Sloper; Single foot, hand-held, pneumatic tamper; All pneumatic, air, gas and electric tools not listed in Groups 1 through 1-f; Jacking of pipe - under 12 inches

GROUP 3: Construction laborers, including bridge and general laborer; Dump, load spotter; Flag person; Fire watcher; Fence erector; Guardrail erector; Gardener, horticultural and landscape laborer; Jetting; Limber, brush loader and piler; Pavement marker (button setter); Maintenance, repair track and road beds; Streetcar and railroad construction track laborer; Temporary air and water lines, Victaulic or similar; Tool room attendant (jobsite only)

GROUP 4: All clean-up work of debris, grounds and building including but not limited to: street cleaner; cleaning and washing windows; brick cleaner (jobsite only); material cleaner (jobsite only). The classification "material cleaner" is to be utilized under the following conditions:

A: at demolition site for the salvage of the material.

B: at the conclusion of a job where the material is to be

salvaged and stocked to be reused on another job.C: for the cleaning of salvage material at the jobsite or temporary jobsite yard.

The material cleaner classification should not be used in the performance of "form stripping, cleaning and oiling and moving to the next point of erection".

GUNITE LABORER CLASSIFICATIONS

GROUP 1: Structural nozzle operator

GROUP 2: Nozzle operator (including gun, pot); Ground person

GROUP 3: Rebound

GROUP 4: Gunite laborer

WRECKING WORK LABORER CLASSIFICATIONS

GROUP 1: Skilled wrecker (removing and salvaging of sash, windows and materials)

GROUP 2: Semi-skilled wrecker (salvaging of other building materials)

GROUP 3: General laborer (includes all clean-up work, loading lumber, loading and burning of debris)

TUNNEL AND SHAFT LABORER CLASSIFICATIONS

GROUP 1: Diamond driller; Ground person; Gunite and shotcrete nozzle operator

GROUP 3: Bit grinder; Blaster, driller, powder person - heading;

Cherry picker operator - where car is lifted; Concrete finisher in tunnel; Concrete screed person; Grout pump operator and pot person; Gunite & shotcrete gun person & pot person; Header person; High pressure nozzle operator; Miner - tunnel, including top and bottom person on shaft and raise work; Nipper; Nozzle operator on slick line; Sandblaster - pot person

GROUP 4: Steel form raiser and setter; Timber person, retimber person (wood or steel or substitute materials therefore); Tugger (for tunnel laborer work); Cable tender; Chuck tender; Powder prerson - primer house

GROUP 5: Vibrator operator, pavement breaker; Bull gang - muckers, track person; Concrete crew - includes rodding and spreading

GROUP 6: Dump person (any method); Grout crew; Rebound person;

Swamper

LABO0073C 07/01/1999

Rates Fringes

CALAVERAS, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

BRICK TENDER 23.20 4.55

FOOTNOTE:

Refractory work where heat-protective clothing is required: \$2.00 per hour additional.

LABO0073E 10/01/1998

Rates Fringes
CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN,

STANISLAUS AND TUOLUMNE COUNTIES:

PLASTERER TENDER 22.36 4.88

LABO0166A 07/01/1999

Rates Fringes

ALAMEDA AND CONTRA COSTA COUNTIES:

BRICK TENDER 20.90 10.26

FOOTNOTES:

Work on jobs where heat-protective clothing is required: \$2.00 per hour additional.

Work at grinders: \$.25 per hour additional. Manhole work: \$2.00 per day additional.

LABO0166B 07/01/1999

Rates Fringes

ALAMEDA AND CONTRA COSTA COUNTIES:

PLASTERER TENDERS:

 Plasterer tender
 23.25
 10.16

 Gun operator
 24.00
 10.16

LABO0185A 07/01/1999 Rates Fringes MONTEREY AND SAN BENITO COUNTIES: BRICK TENDER 22.95 4.55 FOOTNOTE: Refractory work where heat-protective clothing is required: \$2.00 per hour additional. LABO0270A 07/01/1999 Rates Fringes SANTA CLARA COUNTY: BRICK TENDER 23.05 6.20 FOOTNOTE: Refractory work where heat-protective clothing is required: \$2.00 per hour additional. LABO0270B 07/01/1999 Rates Fringes SANTA CRUZ COUNTY: BRICK TENDER 22.05 6.20 FOOTNOTE: Refractory work where heat-protective clothing is required: \$2.00 per hour additional. LABO0294A 07/01/1999 Rates Fringes FRESNO, KINGS AND MADERA COUNTIES: 23.50 4.55 BRICK TENDER FOOTNOTE: Refractory work where heat-protective clothing is required: \$2.00 per hour additional. ______ LABO0297A 09/01/1998 Fringes Rates MONTEREY AND SAN BENITO COUNTIES: PLASTERER TENDER 15.95 FOOTNOTE: Mixer person: \$4.00 per day additional. ______ PAIN0008A 07/01/2000 Rates Fringes

26.56

8.20

SAN FRANCISCO COUNTY:

PAINTER

PAIN0012A 07/01/2000

Rates Fringes
ALAMEDA, CONTRA COSTA, MERCED, MARIPOSA, MONTEREY, SAN BENITO,
SAN FRANCISCO, SAN MATEO, SANTA CLARA AND SANTA CRUZ COUNTIES:

SOFT FLOOR LAYER	28.00	11.25

PAIN0016A 07/01/2000

Rates Fringes

ALAMEDA AND CONTRA COSTA COUNTIES:

PAINTERS:

Work on industrial buildings
(used for the manufacture and processing of goods for sale or service); Also, steel construction (bridges, stacks, towers, tanks and similar structures):

Brush and Roller 24.10 8.74
Spray and Sandblast 24.50 9.94

Spray and Sandblast	24.50	9.94
Application of exotic materials	24.10	9.94
777		

All other work:
Brush and Roller 23.10 9.94
Application of exotic materials 24.10 9.94

FOOTNOTE:

High time (free fall conditions): With a minimum of 2 hrs. exposure, work over 50 ft. above ground or water level to be paid 1/2 hr. per day additional; work from 100 ft. to 180 ft. above ground or water level to be paid 1 hr. per day additional; and work over 180 ft. above ground or water level to be paid 2 hrs. per day additional.

PAIN0016C 08/01/1999

Rates Fringes
ALAMEDA, CONTRA COSTA, MONTEREY, SAN BENITO, SAN FRANCISCO, SAN
MATEO, SANTA CLARA AND SANTA CRUZ COUNTIES:

DRYWALL FINISHERS:

Remodel/tenant improvement work (shopping centers, offices and warehouses where the taping contractor is working directly for the tenant)

the tenant)	21.73	8.28
All other work	27.43	9.98

PAIN0016H 01/01/1999

FRESNO,	KINGS 2	AND	MADERA	COUNTIES:	Rates	Fringes
DRYWALL	TAPER				20.49	5.39
PAINTER					19.74	5.39

FOOTNOTES:

Paperhangers, and work over 30 feet (does not include work from

a lift): \$0.50 per hour additional. Spray painters and sandblasters: \$0.75 per hour additional. Lead paint abaters: \$0.75 per hour additional. PAIN0016K 01/01/1999 Rates FRESNO, KINGS, MADERA AND COUNTIES: SOFT FLOOR LAYER 18.63 4.09 ______ PAIN0016N 07/01/2000 Rates Fringes MONTEREY, SAN BENITO, SAN MATEO, SANTA CLARA AND SANTA CRUZ COUNTIES: PAINTER: COMMERCIAL/INDUSTRIAL 24.30 7.84 PAIN0016Q 03/01/1999 Rates Fringes CALAVERAS AND SAN JOAQUIN COUNTIES: Drywall Taper 7.23 18.85 PAINTERS: 7.23 18.05 Brush Sandblaster; Waterblaster; Steam cleaning 19.05 Work with coal tar and exotic materials 19.80 7.23 PAIN0016S 03/01/1999 Rates MARIPOSA, MERCED, STANISLAUS, AND TOULUMNE COUNTIES: 17.53 DRYWALL FINSHER 8.10 PAINTER: Brush 16.53 8.10 Paperhanger; Spray & Sandblast 17.03 8.10 Hazardous coating, application 18.28 8.10 and removal ______ PAIN0169A 07/01/1999 Rates Fringes FRESNO, KINGS, MADERA, MARIPOSA AND MERCED COUNTIES: 23.55 7.97 GLAZIER FOOTNOTE: Welding in connection with glazing work: \$1.00 per hour additional. ______

PAIN0169E 07/01/1999

					Rates	Fringes
ALAMEDA	AND	CONTRA	COSTA	COUNTIES:		

GLAZIER	28.15	9.91

PAIN0169I 07/01/2000

Rates Fringes

ALAMEDA AND CONTRA COSTA:

SHOWER DOOR INSTALLER 23.57 4.60

PAID HOLIDAYS:

New Year's Day, President's Day, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Day after Thanksgiving, and Christmas Day.

PAIN0718B 07/01/1999

Rates Fringes

SAN FRANCISCO AND SAN MATEO COUNTIES:

GLAZIER 28.17 9.89

PAIN0767A 07/01/1999

Rates Fringes

CALAVERAS, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

GLAZIER 22.54 10.57

PAID HOLIDAYS:

New Year's Day, Washington's Birthday, Memorial Day, Fourth of July, Labor Day, Thanksgiving Day, Day after Thanksgiving Day, and Christmas Day.

FOOTNOTE:

Work thirty (30) feet or over free fall: \$0.60 per hour additional.

PAIN1176A 04/01/1998

	Rates	Fringes
PARKING LOT STRIPING/HIGHWAY	MARKING:	
GROUP 1 & GROUP 4	22.84	6.91
GROUP 2	21.10	6.36
GROUP 3 & GROUP 5	19.51	6.36
Service Person (maintenance	and	
repair of equipment)	13.33	5.87
Parking Lot, Game Court and		
Playground Installer	13.80	5.87

PARKING LOT STRIPING / HIGHWAY MARKING CLASSIFICATIONS

GROUP 1: STRIPER: Layout and application of painted traffic stripes and marking; hot thermo plastic; tape traffic stripes and markings

GROUP 2: TRAFFIC DELINEATING DEVICE APPLICATOR: Layout and application of pavement markers, delineating signs, rumble and traffic bars, adhesives, guide markers, other traffic delineating

devices; includes all related surface preparation (sandblasting, waterblasting, grinding) as part of the application process

GROUP 3: TRAFFIC SURFACE ABRASIVE BLASTER: Removal of traffic lines and markings; preparation of surface for coatings and traffic control devices

GROUP 4: TRAFFIC PROTECTIVE DELINEATING SYSTEMS INSTALLER: Removes, relocates, installs permanently affixed roadside and parking delineation barricades, fencing, guard rail, cable anchor, retaining walls, reference signs, and monument markers

GROUP 5: TRAFFIC CONTROLPERSON: Sole function is to control and

direct traffic through both convent	ional and movin	
PAIN1237C 06/01/1999 CALAVERAS, SAN JOAQUIN, STANISLAUS	Rates AND TUOLUMNE CC	
SOFT FLOOR LAYER		9.10
PAIN1621A 07/01/2000 MONTEREY, SAN BENITO, SANTA CLARA A	Rates ND SANTA CRUZ C	
GLAZIER		7.89
PLAS0001D 06/28/1999 CEMENT MASONS: Cement mason Swing or slip form scaffolds; Mastic, magnesite, gypsum,		Fringes 9.46
epoxy, polyester, resin and all composition	23.10	
PLAS0066B 07/01/2000 ALAMEDA, CONTRA COSTA, SAN MATEO AN PLASTERER	Rates D SAN FRANCISCO	Fringes
PLAS0300A 07/01/2000 FRESNO, KINGS AND MADERA COUNTIES:	Rates	Fringes
PLASTERER	21.81	7.50
SAN BENITO, SANTA CLARA AND SANTA CRUZ COUNTIES:		
PLASTERER	26.24	7.90

23.76

8.50

CALAVERAS AND SAN JOAQUIN COUNTIES:

PLASTERER

MONTEREY COUNTY:

PLASTERER 23.98 7.50

MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES:

PLASTERER 23.76 8.50

PLUM0036A 01/01/2000

Rates Fringes
CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN,

STANISLAUS AND TUOLUMNE COUNTIES:

PLUMBER & STEAMFITTER 28.29 9.19

PLUM0036C 01/01/2000

Rates Fringes

MONTEREY AND SANTA CRUZ COUNTIES:

PLUMBER & STEAMFITTER 28.29 9.19

PLUM0036E 01/01/2000

Rates Fringes

FRESNO COUNTY:

PIPE TRADES PERSON:

Building construction only 11.50 4.70

SCOPE OF WORK:

Installation of corrugated metal piping for drainage, as well as installation of corrugated metal piping for culverts in connection with storm sewers and drains; Grouting, dry packing and diapering of joints, holes or chases including paving over joints, in piping; Temporary piping for dirt work for building site preparation; Operating jack hammers, pavement breakers, chipping guns, concrete saws and spades to cut holes, chases and channels for piping systems; Digging, grading, backfilling and ground preparation for all types of pipe to all points of the jobsite; Ground preparation including ground leveling, layout and planting of shrubbery, trees and ground cover, including watering, mowing, edging, pruning and fertilizing, the breaking of concrete, digging, backfilling and tamping for the preparation and completion of all work in connection with lawn sprinkler and landscaping; Loading, unloading and distributing materials at jobsite; Putting away materials in storage bins in jobsite secure storage area; Demolition of piping and fixtures for remodeling and additions; Setting up and tearing down work benches, ladders and job shacks; Clean-up and sweeping of jobsite; Pipe wrapping and waterproofing where tar or similar material is applied for protection of buried piping; Flag person

PLUM0036I 01/01/2000

Rates Fringes

MERCED COUNTY:

PIPE TRADES PERSON:

SCOPE OF WORK:

Installation of corrugated metal piping for drainage, as well as installation of corrugated metal piping for culverts in connection with storm sewers and drains; Grouting, dry packing and diapering of joints, holes or chases including paving over joints, in piping; Temporary piping for dirt work for building site preparation; Operating jack hammers, pavement breakers, chipping guns, concrete saws and spades to cut holes, chases and channels for piping systems; Digging, grading, backfilling and ground preparation for all types of pipe to all points of the jobsite; Ground preparation including ground leveling, layout and

planting of shrubbery, trees and ground cover, including watering, mowing, edging, pruning and fertilizing, the breaking of concrete, digging, backfilling and tamping for the preparation and completion of all work in connection with lawn sprinkler and landscaping; Loading, unloading and distributing materials at jobsite; Putting away materials in storage bins in jobsite secure storage area; Demolition of piping and fixtures for remodeling and additions; Setting up and tearing down work benches, ladders and job shacks; Clean-up and sweeping of jobsite; Pipe wrapping and waterproofing where tar or similar material is applied for protection of buried piping; Flag person

PLUM0038A 07/01/1999 SAN FRANCISCO COUNTY:	Rates	Fringes
PLUMBERS: Work on wooden frame structures stories or less excluding high-rise buildings and commercial work such as hospitals, prisons, hotels and schools All other work	28.50 38.00	17.35 18.42
LANDSCAPE/IRRIGATION FITTER	27.32	
* PLUM0159A 07/01/2000 CONTRA COSTA COUNTY:	Rates	Fringes
PLUMBERS & STEAMFITTERS: Work on apartments over 4 stori and motels All other work	25.76 33.56	13.59
PLUM0342A 07/01/2000 CONTRA COSTA COUNTY:	Rates	Fringes
STEAMFITTER	32.73	13.24

PLUM0342B 07/01/2000

Rates Fringes

ALAMEDA	COUNTY:

PLUMBER & STEAMFITTER	32.73	13.24
PLUM0355D 07/01/2000	Rates	Fringes
ALAMEDA, CALAVERAS, CONTRA COSTA, MARIPOSA, MERCED, MONTEREY, SAN BI SANTA CLARA, SANTA CRUZ, STANISLAU	ENITO, SAN JOA	QUIN, SAN MAT
LANDSCAPE FITTER; UNDERGROUND UTII WORKER		5.55
PLUM0393A 09/01/1998	Rates	Fringes
SAN BENITO AND SANTA CLARA COUNTIE		1111308
PLUMBER & PIPEFITTER: Work on motels and hotels which do not exceed 4 stories in height, excluding garages and		
parking areas All other work	20.64 39.32	5.30 10.47
PLUM0467A 07/01/2000 SAN MATEO COUNTY:	Rates	Fringes
PLUMBER; PIPEFITTER; STEAMFITTER REFRIGERATION & AIR CONDITIONING	36.44 36.28	11.51 11.76
ROOF0027C 09/01/1999		
FRESNO, KINGS, AND MADERA COUNTIES	Rates S:	Fringes
ROOFER	20.40	6.55
FOOTNOTE: Work with pitch, pitch base of pany material containing coal tar panew, where both asphalt and pitche of a built-up roof or tear off: \$2	oitch, on any ers are used i	building old on the application
ROOF0040B 08/01/1999	Rates	Fringes
SAN FRANCISCO & SAN MATEO COUNTIES	g:	_
ROOFER	21.47	10.57
ROOF0081A 08/01/1999	Rates	Fringes
ALAMEDA AND CONTRA COSTA COUNTIES		
ROOFER	21.45	9.60

ROOF0081E 09/09/1999

Rates

Fringes

CALAVERAS, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES:

ROOFER

18.87

ROOF0095B 08/01/1996

Rates

Fringes

MONTEREY, SAN BENITO, SANTA CLARA, AND SANTA CRUZ COUNTIES:

ROOFERS:

Kettle person (2 kettles); Bitumastic, enameler, coal tar, pitch and

mastic worker All other work 26.07

24.07 6.75 ______

SFCA0483A 08/01/2000

Rates Fringes

ALAMEDA, CONTRA COSTA, SAN FRANCISCO, SAN MATEO AND SANTA CLARA COUNTIES:

SPRINKLER FITTER (FIRE)

35.59

11.20

SFCA0669K 04/01/1999

Rates

CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, MONTEREY, SAN BENITO, SAN JOAQUIN, SANTA CRUZ, STANISLAUS AND TUOLUMNE COUNTIES:

SPRINKLER FITTER (FIRE)

27.35

6.40

SHEE0104A 07/01/1999

Rates Fringes

ALAMEDA AND CONTRA COSTA COUNTIES:

SHEET METAL WORKER (does not include

metal deck and siding):

Work on any multi-family

dwelling over 4 stories

that incorporates a

separate and independent

unit for heating and/or

cooling purposes (excluding

built-up central air

handling systems)

30.25

12.06

Work on projects with an HVAC contract price of \$270,000 equipped with packaged units or a unitary system; Also, tenant completion work extending from an

existing trunk line or an existing water or air loop to registers and/or diffusers; Also, remodel or add-on contracts on

existing facilities providing the contract price is \$165,000 or less; Also, architectural sheet metal contracts of \$100,000 or less; Also, pre-engineered and pre-manufactured siding 30.03
11 other work 35.32 13.53 All other work 13.70 ______ SHEE0104B 07/01/1999 Rates Fringes MONTEREY AND SAN BENITO COUNTIES: SHEET METAL WORKER 29.71 SHEE0104D 07/01/1999 Rates Fringes SAN MATEO COUNTY: SHEET METAL WORKER (does not include metal deck and siding): Work on any multi-family dwelling of 4 stories or more that incorporates a separate and independent unit for heating and/or cooling purposes (excluding built-up central air handling 31.82 11.54 systems) Work with an HVAC contract price of \$250,000 equipped with packaged units or a unitary system; Also, tenant completion work extending from an existing trunk line or air loop to registers and/or diffusers; Also, remodel or add-on contracts on existing facilities providing the contract price is \$150,000 or less; Also, architectural sheet metal contracts of \$100,000 or less; Also, pre-engineered and pre-manufactured siding 32.67 32.67 11.94 36.14 12.68 All other work SHEE0104E 07/01/1999 Rates Fringes SAN FRANCISCO COUNTY: SHEET METAL WORKER (does not include metal deck and siding): Work on any multi-family dwelling of 4 stories or more that incorporates a separate and independent unit for heating and/or cooling purposes (excluding

handling systems) 32.02 11.41

built-up central air

Work with an HVAC contract price of \$50,000 or less; Also, tenant completion work providing the contract price is \$50,000 or less; Also, remodel or add-on contracts on existing facilities providing the contract price is \$50,000 or less; Also, architectural sheet metal contracts of \$100,000 or less; Also, pre-engineered and pre-manufactured siding All other work		
SHEE0104G 07/01/1999	Rates	Fringes
SANTA CRUZ COUNTY:	Races	TIME
SHEET METAL WORKER	30.65	10.46
SHEE0104H 07/01/1999		
SANTA CLARA COUNTY:	Rates	Fringes
SHEET METAL WORKER (does not include metal deck and siding): Work on any multiple family housing unit over 4 stories in height that incorporates a separate and independent unit for heating and/or cooling purposes (excluding built-up central air handling systems) Work with an HVAC contract price of \$250,000 equipped with packaged units or a unitary system; Also, tenant completion work extending from an existing trunk line or air loop to registers and/or diffusers; Also, remodel or add-on contracts on existing facilities providing the contract price is \$150,000 or less; Also,	33.07	11.03
1		

SHEET METAL WORKERS:

Metal deck and siding 27.44 11.80

SHEE0162A 01/01/2000 Fringes Rates CALAVERAS AND SAN JOAQUIN COUNTIES: SHEET METAL WORKER 21.96 10.23 SHEE0162C 07/01/2000 Rates Fringes MARIPOSA, MERCED, STANISLAUS AND TUOLUMNE COUNTIES: SHEET METAL WORKER (does not include metal deck and siding) SHEE0162D 06/01/2000 Rates FRESNO, KINGS, MADERA and TULARE COUNTIES: SHEET METAL WORKER 27.07 11.57 SHEE0162M 07/01/1999 Rates CALAVERAS, FRESNO, KINGS, MADERA, MARIPOSA, MERCED, SAN JOAQUIN, STANISLAUS AND TUOLUMNE COUNTIES: SHEET METAL WORKERS: 29.42 Metal deck and siding 9.52 TEAM0094A 06/16/1999 Rates Fringes TRUCK DRIVERS: 11.46 21.06 GROUP 1 GROUP 2 21.36 11.46

FOOTNOTES:

GROUP 3

GROUP 4

GROUP 5

Articulated dump truck; Bulk cement spreader (with or without auger); Dumpcrete truck; Skid truck (debris box); Dry pre-batch concrete mix trucks; Dumpster or similar type; Slurry truck: Use dump truck yardage rate.

21.66

22.01

22.36

11.46

11.46

11.46

Heater planer; Asphalt burner; Scarifier burner; Industrial lift truck (mechanical tailgate); Utility and clean-up truck: Use appropriate rate for the power unit or the equipment utilized.

TRUCK DRIVER CLASSIFICATIONS

GROUP 1: Dump trucks, under 6 yds.; Single unit flat rack (2axle unit); Nipper truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump truck (when flat rack truck is used appropriate flat rack shall apply); Concrete pump machine; Fork lift and lift jitneys; Fuel and/or grease truck driver or fuel person; Snow buggy; Steam cleaning; Bus or personhaul driver; Escort or pilot car driver; Pickup truck; Teamster oiler/greaser and/or serviceperson; Hook tender (including loading and unloading); Team driver; Tool room GROUP 2: Dump trucks, 6 yds. and under 8 yds.; Transit mixers, through 10 yds.; Water trucks, under 7,000 gals.; Jetting trucks, under 7,000 gals.; Vacuum trucks, under 7,500 gals.; Single-unit flat rack (3-axle unit); Highbed heavy duty transport; Scissor truck; Rubber-tired muck car (not self-loaded); Rubber-tired truck jumbo; Winch truck and "A" frame drivers; Combination winch truck with hoist; Road oil truck or bootperson; Buggymobile; Ross, Hyster and similar straddle carriers; Small rubber-tired tractor

GROUP 3: Dump trucks, 8 yds. and including 35 yds.; Transit mixers, over 10 yds.; Water trucks, 7,000 gals. and over; Jetting trucks, 7,000 gals. and over; Vacuum trucks, 7,500 gals. and over; Trucks towing tilt bed or flat bed pull trailers; Lowbed heavy duty transport; Heavy duty transport tiller person; Self-propelled street sweeper with self-contained refuse bin; Boom truck - hydro-lift or Swedish type extension or retracting crane; P.B. or similar type self-loading truck; Tire repairperson; Truck repairperson; Combination bootperson and road oiler; Dry distribution truck (A bootperson when employed on such equipment, shall receive the rate specified for the classification of road oil trucks or bootperson); Ammonia nitrate distributor, driver and mixer; Snow Go and/or plow

GROUP 4: Dump trucks, over 35 yds. and under 65 yds.; Water pulls - DW 10's, 20's, 21's and other similar equipment when pulling Aqua/pak or water tank trailers; Helicopter pilots (when transporting men and materials); DW10's, 20's, 21's and other similar Cat type, Terra Cobra, LeTourneau Pulls, Tournorocker, Euclid and similar type equipment when pulling fuel and/or grease

tank trailers or other miscellaneous trailers

GROUP 5: Dump trucks, 65 yds. and over; Holland hauler

WEI DEDG. Dessine ust a margarited for such marfamina acception

 ${\tt WELDERS}$ - Receive rate prescribed for craft performing operation to which welding is incidental.

Unlisted classifications needed for work not included within the scope of the classifications listed may be added after award only as provided in the labor standards contract clauses (29 CFR 5.5(a)(1)(v)).

In the listing above, the "SU" designation means that rates listed under that identifier do not reflect collectively bargained wage and fringe benefit rates. Other designations indicate unions whose rates have been determined to be prevailing.

WAGE DETERMINATION APPEALS PROCESS

- 1.) Has there been an initial decision in the matter? This can be:
- * an existing published wage determination
- * a survey underlying a wage determination
- * a Wage and Hour Division letter setting forth a position on a wage determination matter

* a conformance (additional classification and rate) ruling

On survey related matters, initial contact, including requests for summaries of surveys, should be with the Wage and Hour Regional Office for the area in which the survey was conducted because those Regional Offices have responsibility for the Davis-Bacon survey program. If the response from this initial contact is not satisfactory, then the process described in 2.) and 3.) should be followed.

With regard to any other matter not yet ripe for the formal process described here, initial contact should be with the Branch of Construction Wage Determinations. Write to:

Branch of Construction Wage Determinations Wage and Hour Division
U. S. Department of Labor
200 Constitution Avenue, N. W.
Washington, D. C. 20210

2.) If the answer to the question in 1.) is yes, then an

interested party (those affected by the action) can request review and reconsideration from the Wage and Hour Administrator (See 29 CFR Part 1.8 and 29 CFR Part 7). Write to:

Wage and Hour Administrator U.S. Department of Labor 200 Constitution Avenue, N. W. Washington, D. C. 20210

The request should be accompanied by a full statement of the interested party's position and by any information (wage payment data, project description, area practice material, etc.) that the requestor considers relevant to the issue.

3.) If the decision of the Administrator is not favorable, an interested party may appeal directly to the Administrative Review Board (formerly the Wage Appeals Board). Write to:

Administrative Review Board U. S. Department of Labor 200 Constitution Avenue, N. W. Washington, D. C. 20210

4.) All decisions by the Administrative Review Board are final. END OF GENERAL DECISION